

D< D! · Dfj f_-fc_-m

CVgU
 %" i j cX
 &"? YbhU'GYfj Yf
 ' :-byHUzVU
 ("Dfj f_ fc_m
) "9X]lcf U'dfY\ JUXU
 * "8UVnU
 +"Nz_UXbz_gnbHU
 , "Hdml
 - "Dfj Ybbf
 %S"<HA@: cfa i `zfY
 %%"?cbYtUhbm
 %%"J_fUm
 % "CdYfzIcfm
 %("F]UX]UW_dft_Um
 % ":"i b_VY
 %* "H]YXmUcVY_hm
 %+ "D< D'U; fuZ_U
 % " "D< D'U 8UVnU
 % " "D< D_`i V

5i hcf. [A\]Ub](#); UW

FYj JYk Yf.

JYfg]cb. %"S'XFUZh
 @UghI dXUH. '&SS& S+!' S

NXfc^ \Hd. #k k k "d\d"g

8lg_i gJU \Hd. #k k k "d\d"g_ #Xlg_i g

8ck b`cUX \Hd. #k k k "d\d"g_ #Xck b`cUX" d\ d

8c_i a Ybh'YWFzbYb 'Ui hcfg_ a 'nz_cbc a "8c_i a YbhUYVc 'Y\c' Ugh'Y'a c\yb f'dci yj 'Yb'nU• Yca j 'Uglb f\c j nXYzj Ub]Uz'fYgd"nU• Yca j i_nz df] ca 'a i g\Vm'Yl d\]M\ibY'i j YXYb 'Y\c'Ui hcf UcX Un'bU'nXfc^f **k k k "d\d"g** L'6Yn'd\gca bf\c'dcj c 'Yb]U'bYga JYVm'Xc_i a Ybhdcna Y cj Ub 'Ub] nj YfY^ cj Ub 'fYgd"Y\c' Ughj nKzj Ub f'dcXj Ughb a 'Wdnf]\hca "

1. Úvod

5\c\hYz

j JHUH'Yj 'fcX]bYD< D'dfc[fUa z\hcf c j "Hmbhc 'Xc_i a Ybhj nb\c`U_c j g'YXc_ chznc_ 'UcXdcj YX\fbU'dfcVfa n\z g_ hcf a]gU'bU^ UghY'yjY g\fhYzj U^o 'nU \bU^ Wi yj] UH'YJU'U'dfc[fUa z\hcf] j 'g_f]dh\j UW'a 'Unm_i 'D< D'BYbz'XYH'h j 'Yh_michzn_mU]bZfa zWYz'U'Y'Yj \cXb a 'nU]Uh_ca 'U\j j cXca 'Xc'dfcVYa Uh_nz_ hcf 'D< D'df]bz\yU'Df] 'Ub\Jza 'dfU'Ya j YUhfDyN'j cgh\U'nXUfi "

5_ bz'XYH'Yj 'hca h\c 'Xc_i a YbhY'bYnf c j bUcg\]UYVc 'a zH'Yrzi 'Ya 'Xcd'bjh\c\z'bYj z\UH'Y'U'dcY'jH'Y'a U\`bU **a c\Y_UxfYg** "

BY\gU\ Vy]Y'dcbcfa Y Xc 'H'c j 'UhmUD< D'Vc\c 'Vnij \cXbf'bU'dfj 'gU'ghf\ bY'ncnbza] 'g'Y\c' \gl\DE]ci z\U'gU'h\HU'_j 'VYWXz' dcj YXU "D< D'g'U'nfC X]c'b]Y_Xmij 'fc_i '% - ('Uj nb\c`U_c'dfc[fUa j 'DfY'Yz_ hcf 'g*yj 'bU'Yj]XYbW\ df\ghi dcj '_K K K 'glfzb_Ua 'dzbu FUga i gU@\fXcfZL_z_ hcf 'Vc 'Y\c'd' j cXb a 'Ui hcfca "BU_c _c_j yU 'DfY'U_c 'jbhYfdYh\j Ub 'Unm'dfj Y a j nU U\j c U'K K K 'gYfj Yfz' U hcf'g\i c^gCZk UfY'dfYd\gU 'Xc 'UnmU'7" Dcgh dbY'\c'dci yj] Uc' cfU\j JUWi X\z\glzj U'gUj JUWUj JUWcV'VYbY'Y\j 'U'U hcf Vc 'Xcg'cj U' Xcb\hYb 'j nXU '_gi c'a i 'XjY_i 'Xc_i a YblzW\ "Gng\hfa 'Vc 'bYg' 'f'fcn\yfYb 'c'dcy]UXUj_m\Y\c'dci yj] UH'Yj 'U'Vc 'i j c'bYb 'dcX'bz\j ca ' **DfgecbU< ca YDQ YHc'g**" Dc'nUv Xc j Ub\JGE@a cXi i z_ hcf 'i a c\y' c j U'D< D'gdc'i dfUWj U'g'XUH'VznUa]Uj n\j zfU 'Zfa i 'zfY'gU bzncj 'na Yb] 'bU **DfgecbU< ca YDQ Y: cfa =bHfdfYHfD< D#** = "Hmbhc'gng\hfa 'j nb\c`U_c'ca d\zhd\j clb\c 'D< D'U'dfc[fUa i z_ hcf 'gdf\ghi d' c j U'j 'g'YX_mXUH'Vznj W'Xcdn\h\j 'bU'K YVY'fl cfa 'bHfdfYHfL' 'HU'_j nb\c'D< D# = &S"J'fc_i '&SSS'Vc'Uj nXUbz' dcg'YXbz' j Yfn]U'fUXmD< D' "l "Cdfch'gj c\j a 'dfYXWcXWa 'gU'W' 'gng\hfa 'nf W]'U'fcn\yf] 'U'_cdYW' nbnW'Z b_W\ '8bYg'bU^ UghY'yjY dci yj] Ubz' j Yfn]U'D< D'Yj Yfn]U ('l z_ hcf Y^nz_ UX'j cf\UXfc'g'bznj ca ' **Nbx**"

Df\UX%%"Dfj 'df\UX

```

``%
``&O\ha `2
``` O\YUX2
``(`O HjhY2 Df‡_UXO #HjhY2
``) `O #\ YUX2
``* `O VcXn2
``+ `O 3d\ d\ YWc ``<]Z Gca `D< D'gW]dh``/`32
``, `O #VcXn2
``- `O #\ha `2
``%
``S

```

D< D'gU'h a hc ```yj`cX 7; =g\_f]dhcj 'bUdigUb W j 'DYf`Y'U'YVc`7`Um\_i`!!`bUa ]Ygfc`digUb]U'a bcýghj U\_Œxi`dfYj`dlg<HA@ghU `bUdigU`  
`< HA@\_Œxi`a YXn]`\_hcf `Y'nU\_ca dcfcj Ub `df‡\_Un'D< D'f\_hcf`j`hca`hc`df‡dUXY`j`mly`Y`hM`H`D< D\_Œxi`gU`nU`#U`U`\_cb`#y`dW]bna`  
`y`Ufhcj`UW]`U`i`\_cb`cj`UW]`U`i`ca`03dndU`32`\_hcf`i`a`cýb‡g\_c`]`Xc`U`n`D< D'a`Œxi`"5^\_Y`Y`h`gW`ga`]Y`b`Y`!`UY`h`h`c`fHU`Um\_U`  
`i`a`cýb‡nU`U`r`b‡\_ca`d`gU`f`W`c`j`\_cbbf`D< D#`HA@glfzb\_m!`UY`df]`gdfzj`Y\_Œxi`Y`h`j`Ya`]`b`Y`U`g`b`f`f]Y`b`Y`b`Y`"

c`cX]ji`Y`D< D`cX>U`UgW]dh`Y`z`y`Y`h`b`c`Um`Y`j`m`cbzj`Ub`bU`glfUb`Y`g`Y`f`Y`f`U`5`g`U`gdi`g`f`D< D`g\_f]dhb`U`g`Y`f`Y`f`z`\_`Y`b`l`g`\_`  
`df`Y`J`UXU`V`m`X`c`g`H`U`Y`b`j`g`Y`X`c`\_V`Y`i`g`f]dh`z`\_cb`f`f`b`Y`\_ca`d`Y`b`•`g`f`U`b`i`j`Um\_i`< HA@`>Um\_i`< HA@fcni`a`Y`g`\_cfc`\_U`j`X`  
`df`Y`J`UXU`z`c`g`U`c`\_`Y`b`H`g`X`Y`g`f]dhc`W`U`\_a`Y`b`U`df‡\_UX`>5J`5G`7F`D`H`dcj`YXU`b`Y`X`"

J`Yfn]U`UXfUD< D‡\_hcf`f`Y`j`nj`#`U`f`dcX\_Œxi`a`b`znj`ca`N`9B`8`Y`n`\_`U`x`c`\_`h`c`\_`d`cd`i`z`fb`Y`c`g`f]dhcj`f`c`Um`U`i`y`c`X`j`Yfn]Y`D`-`D`(`S`"8`b`Y`g`Y`N`y`b`X`j`c`j`Yfn]`&`S`a`ca`Y`b`z`b`Y`i`y`h`Y`c`i`j`Yfn]ci`"UXfUD< D`"D`f`Y`X`W`z`X`n`U`"W`j`Yfn]U`N`9B`8`i`f`j`Yfn]U`%`SL`V`c`U`dc`g`H`j`Y`b`z`b`U`  
`fc`j`b`U`W`d`U`g`c`j`U`W`df`U`j`X`z`W`U`c`g`f]dhcj`U`W`Y`U`X`f`D`-`D`"l`z`\_hcf`fa`i`X`b`Y`g`n`j`m`b`Y`a`Y`c`j`c`f`l`N`9B`8`S")`"H`g`W`i`a`c`ý`b`c`j`Y`a`j`U`\_`f`a`j`fc`j`Ub`J`Y`f`t`f`Y`W`c`X`L`n`j`Yfn]Y`D`-`D`"l`b`U`j`Yfn]i`("S`z`U`Y`n`f`c`j`Y`\_`n`a`Y`a`c`ý`i`Y`U`y`j`j`c`^`Um`U`"

## 2. Klient a Server

D< D`g`U`a`cl`b`f`Z`b`[`i`Y`U`c`g`\_`U`g`\_`i`f`\_`h`f`c`gn`gh`f`a`i`z`\_hcf`\_`h`j`c`f`‡`k`Y`v`c`j`\_`g`Y`f`j`Y`f`z`D< D`U`X`f`c`U`d`f`Y`\_`J`UXU`"8`c`d`c`f`i`\_`Y`a`\_`n`f`c`j`Y`\_`  
`b`U`b`y`H`c`j`U`U`X`U`V`z`n`c`j`\_`gn`gh`f`a`"

**-bhYfbYhj`gYj`Yf`< H`D`Y`dfc`[`f`U`a`z`\_hcf`\_`g`U`a`\_`y`Y`g`di`g`H`\_`b`U`i`V`e`j`c`b`c`a`\_`d`c`\_`#`U`\_`d`f`]`d`c`\_`Y`b`c`a`\_`b`U`\_`b`h`Y`f`b`Y`h`\_`D`f`Y`h`c`Y`\_`Y`X`Y`b`\_`  
`d`c`\_`#`U`\_`a`\_`y`Y`d`b`b`\_`\_`c`\_`i`\_`j`\_`J`U`W`f`W`g`Y`f`j`Y`f`c`j`\_`g`\_`j`\_`f`z`a`W`\_`c`a`i`b`\_`U`b`f`\_`c`\_`d`f`c`\_`c`\_`i`\_`n`U`Y`X`Y`b`f`\_`h`j`"`d`f`l`m`\_`D`f`l`m`i`j`c`f`\_`U`d`f`\_`g`\_`h`\_`d`c`j`f`\_`  
`V`c`X`n`\_`z`\_`g`\_`i`\_`y`V`n`\_`K`Y`v`Y`f`\_`Y`b`U`\_`j`U`\_`n`\_`j`m`U`b`Y`b`U`d`f`h`Y`\_`S`"?`h`c`a`\_`h`\_`d`f`h`\_`H`U`\_`H`Y`\_`g`a`Y`f`i`\_`^`d`c`j`\_`U`X`U`\_`m`\_`\_`Y`b`h`j`"5`V`m`g`Y`f`j`Y`f`a`c`\_`c`\_`  
`g`\_`U`g`b`Y`c`V`g`\_`i`\_`c`j`U`\_`j`\_`J`U`W`\_`\_`Y`b`h`j`\_`z`\_`g`\_`y`\_`d`f`h`\_`S`\_`J`U`d`f`Y`b`U`j`\_`J`U`b`U`Y`g`d`c`\_`Y`b`U`U`d`f`Y`b`c`g`X`h`d`f`Y`V`Y`U`b`U`b`Y`\_`h`f`c`a`\_`n`d`f`z`j`Y`\_`  
`j`c`b`\_`W`\_`d`f`h`c`j`"J`\_`U`f`W`\_`H`\_`h`\_`f`Y`\_`\_`Y`b`h`g`Y`f`j`Y`f`c`j`\_`g`f`Y`f`j`Y`f`c`j`\_`g`f`U`b`i`"**

**8`U`U`V`z`n`c`j`\_`gn`gh`f`a`\_`Y`d`f`c`[`f`U`a`\_`h`f`\_`g`\_`y`\_`d`f`Y`d`f`z`W`\_`g`\_`X`z`H`a`\_`]"`G`d`c`i`\_`d`f`U`W`Y`d`c`a`c`W`i`\_`b`U`h`\_`b`n`W`X`f`U`j`f`c`j`U`Y`V`c`C`8`6`7`\_`]>8`6`7`\_`  
`f`c`n`\_`f`U`b`j`U`g`\_`k`Y`f`c`j`\_`a`\_`g`Y`f`j`Y`f`c`a`"**

**D`f`Y`\_`J`UXU`U`Y`V`c`V`f`c`k`g`Y`f`c`[`f`U`a`z`\_hcf`\_`g`\_`y`\_`d`f`Y`d`f`z`W`\_`g`\_`X`z`H`a`\_`]"`G`d`c`i`\_`d`f`U`W`Y`d`c`a`c`W`i`\_`b`U`h`\_`b`n`W`X`f`U`j`f`c`j`U`Y`V`c`C`8`6`7`\_`]**

5`f`W`\_`H`\_`f`U`\_`\_`Y`b`h`g`Y`f`j`Y`f`\_`Y`n`U`c`y`Y`b`z`\_`b`U`b`U`g`Y`X`i`\_`w`\_`a`\_`m`\_`y`\_`Y`b`\_`Y`\_`X`z`H`U`V`m`g`U`a`U`\_`g`d`f`U`W`j`z`j`U`\_`d`f`Y`X`c`j`\_`y`H`\_`a`\_`H`a`\_`z`\_`X`Y`g`\_`\_`X`g`d`c`n`W`\_`  
`H`\_`n`b`U`\_`Y`b`z`\_`j`Y`d`c`\_`J`U`\_`b`j`Y`g`\_`i`\_`c`y`Y`b`f`\_`b`U`i`\_`y`j`\_`U`Y`g`\_`Y`\_`g`f`U`b`j`W`\_`b`Y`a`U`\_`V`m`g`U`H`a`\_`g`d`f`U`W`j`z`j`U`\_`D`c`\_`J`U`\_`J`W`U`Y`i`\_`y`j`\_`U`Y`\_`W`W`g`d`f`U`W`j`z`j`U`\_`n`c`\_`  
`g`\_`c`\_`Y`\_`g`f`U`b`j`W`\_`a`\_`U`U`V`m`b`U`g`\_`d`\_`X`Y`V`U`d`f`z`W`\_`!"`a`\_`Y`n`\_`a`\_`Y`g`c`a`\_`i`\_`c`y`Y`b`j`U`X`z`h`U`i`\_`y`j`\_`U`Y`g`\_`c`\_`d`f`U`j`b`c`i`\_`g`f`U`b`j`W`i`\_`"

J \cXnidca \bUbY^UFW]hY\_h fmig• dfYXcj yYh\_ a 'nUa YXnYb]YfYX bXUbW]XzhfXzHUg• i `cYb]Wbfz'bYdf]nUWcj Ubfa cYbcghj j UW i yj UYg\_f\c dfghi di 'nUyI lghybWj UW yj UYg\_f\c gdfUWj zj Ub]Uxzh'7Ybfz bna . Ugh]ua z\_hcf\c Vg]U i ^ XzHU'dcg\_nhi ^ JW'bU gdfUWj Ub]Y i yj UYca \cj cf\c Y **gMj YF** BUcdU\_i yj UYg\_ a 'glUb]M]a z\_hcf\j nyUXi ^ g'i yVnigYfj Yfi \cj cf\c Y\_ **TbH**H a hc Xcg]UbYa Ybzncj 'WY^UFW]hY\_h fm. \_ **TbH**#**gMj YF**? ]YbhUgYfj Yf'dfUW^ bUgWY• d'bYbYnzj lgY"

J XcVYfcna UWi 'Vi Xcj Ub]U]bZfa U b W'gnghfa cj 'nUcYb W'bUj ni yhfcgcvb W'dc HU cj zVc'c'a cYbf'nUWnh] hYbXYbWY a c\i bbf\c dfYWcXi \_ hYWbc'QF]]\_ ]Ybh#gYfj Yf'BU^ UghV'yJYg• i j zXnUb]f]Ylc'X j cXm.

...Nj yYbz ZYI JV]HUf W'cg j j c'U'Ud]zW

Hhc 'YXubf'g\_i hc bcf ci zYUg ncXdcj YXbchj nUgdfUWj Ub]Y'YdfYbYgYbz'bUgYfj Yf">YXbz gUdfYXcj yYh\_ a 'c dfghi d' XzHla z nUgYb]Y JW]bhY f]lmiU'XcXf]Uj Ub]YdfUj ]X]Y'dfYdfzW'g'bla l'Dfzj Yh a zYUgYfj Yf'BU^ UghV'yJYg• i j zXnUb]f]Ylc'X j cXm.

...Nj yYb]YVYndY bcf gh]gnghfa i

6YndY bcf gnghfa i 'Y'a cYbf'Xcg]U\bi 'h a zYUgdfcgf]YX midfghi di \_ XzHla zU\_c ]nUgYb]U]W]bhY f]lmiU\_cbn]ghYbWYg• ja d'Ya Ybh]Ub]f'bU\_ ]Ybhg\_Y^ghfUbYUha 'Y]W'\_QX'YXbcXi WYfU'U\y]Yj nj cfYb 'U'a cX]A\_cj UhY b "

...=bli ]hj bYyfj j c'UdfYj zXn\_U

Dci yjhY hYWbc'QF]Y\_ ]Ybh#gYfj Yf'Vc'c'cXnU ]Uh\_i 'gdc'Ybf'g'dci yjhfa ]bli ]hj bYc'fU]Wf\c i yj UYg\_f\c dfcgf]YX]Uf I =Lz\_hcfj'Y i a ]YgbYbf'bU\_ ]Ybhg\_Y^ghfUbY"


...@Ydy]U]bhY fzWUgnghfa i

DfcWg\_ ]YbhU'a ' yYbUfUnj ni yj U ]bZfa zWY'n'b]Y\_c \_ W'gYfj Yfcj zVYn'hc'c'UVnigU'a i gY'dfYd]bU'a YXn]b]Y\_c \_ a ]gnghfa Ua ]"

...DcXdcfU'XYWbfU]ncj Ub W'cf[ Ub]nU b W'yf]h f

BUfcnX]Y'cX'UFW]hY\_h fni\cgHhYfa ]bU'dcg\_nhi 'Y]cncZU\_ ]Ybh#gYfj Yf'ca bc\c 'Ydy]Y'a cYbcghj bUdfYWcX'cX'WbfU]ncj Ub]f\c i 'cYb]U'Xzh'\_gdfUWj Ub]i 'U'i 'cYb]i 'XzhHla z\_XY'Y'hc'bUj \cXbY'y]Y": mnWf'i 'cYb]Y'Xzh'Y'df]hca 'dfYi yj UYU• d'bY hfUbgdUfYbf"

BU'cVfzn\_i '%j ]Xja Y'hnd]W 'df]UX]bhfbYlcj Y^'Ud]zWY'hndi \_ ]Ybh#gYfj Yf"



CVf"%"! \_`]Ybh#gYfj Yf

Gd' gcV'dfzWg'cV^Y\_Hla ]Vc`j 'bcj Y^j Yfn]]'UXfU\_ca d`YhbY'dfYdfUWj Ub "Na YbnidfbzýU• 'b]YYb'bcj f`Z b\_WWzUYU^nj yYb]Y j \_cbi"

DfYX' Uý]a ' Hb]a 'hc\hc 'Xc\_i a Ybli 'cXdcf• Ua 'bU]býHcj U 'DxD'bUJzý'dc HU ž'dfYhc'a z' Uý]U\_Udjh'U'bzncj """


### 3. Inštalácia

DfYXdc\_ UXU'a YžjyYDxDVi XYHdcijyj U 'dfYj\_j c^j 'Ugb W'jbhfbYhcj W'Ud'zW'DfYhc'Ybi hb'f'bU]býHcj U 'b]YYb'gla clbf'DxD'UYU^K YV'gYfj YfzXUHVzncj 'gYfj Yf'U'dfY\]UXU "NU bYa Y]býHuzWci dcXcdYfU b a 'gnghfa 'A]MgcZiK jbXck g"

#### Microsoft Windows

5\_ 'dcijyj UH'gnghfa 'AG'K jbXck g' ) žU\_hi U]ni 'H'g'g]Y cj • j fgj i 'K ]bgcW'bUj Yfnji '8''5\_hi U]nU b 'g' Vcf'bz'XYH'bU'gfzb\_UW' [A\]MgcZi](#)"

DfYgdfzj bY'Z b[ cj Ub]YK YV'gYfj YfU'Ybi hb'f'a U 'g]Y cj • dcXdcfi "Cj YfhY'g]z' ]Jzý'dc HU 'a z' =D'UXfYgi žfYgd" Xlgdcbi 'Yg]Y cj a 'nUf]UXYb]a "GHU žg]Y cj z' \_UfHU'U'Vc'a cXYa "DfY'Z b[ cj Ub]YXca zW\c'K K K 'gYfj YfU'bYa i g]Y'Vm'df]dc'Yb'f'bU]býfbYh' **Ai g]Ygj**' j yU\_ 'bU]býHcj U 'dcXdcfi 'dfYH#D#D'dfchc\_c' 'fhdcnf]cVf" &L



CVf" &! 'G]Y cj z j fgj U'U'dfclrc\_c`H]D#D

>YXbcXi Wf'cj YfYb]Y'Z b\_ bcgh]H]D#D'dfclrc\_c'i . J'c\_bYg\Y'i fMa a UbX'Wa zW X'YI YL'bUdjhY' djb[ %&'S'S'%'UcXdcj Y ci Vni a U'Vm'gdfzj U'Yd'mZca """"'U\_c'bU'cVf""'

```
C:\WINDOWS\System32\cmd.exe
Microsoft Windows XP [Version 5.1.2600]
(C) Copyright 1985-2001 Microsoft Corp.

d:>>ping 127.0.0.1


Pinging 127.0.0.1 with 32 bytes of data:
Reply from 127.0.0.1: bytes=32 time<1ms TTL=128

Ping statistics for 127.0.0.1:
 Packets: Sent = 4, Received = 4, Lost = 0 (0% loss),
 Approximate round trip times in milli-seconds:
 Minimum = 0ms, Maximum = 0ms, Average = 0ms

d:>>
```

CVf" ! djb[

DfY'jbýHUzWj 'D< DZ'k YVcj f\c'gYfj YfU'5dUWY'U'XUH'Vzncj f\c'gnghfa i 'AMGE@g a Y'j nj cf] ]'VU' \_'D< CA 9'">Y\c'gdi gHbja 'bU'gj c'Y' D7' bUjbýHUi 'YH'rz\_ 'UXbf'\_ca dc'bYbmidfY'j j c'^Ud'zWfj 'D< D'fc[ fUa 'U' hca UhWmig\_cbZ[ i fi 'Y'j ýH'nidclfY'bf'bzgjfc'Y'fc[ fUa 'Y'a cýbf'gH'U'bi 'g'n'kk k "d\d"g\_ 'UYVc'gUbUWzXnUbU'78 'D< D\_ i Vi 'f\Hd. ##k k k "d\d"g\_ #Y' lgfUWU'd\dL



CVf"("!`\_cbZ[ i fU b .X]UDF D< D< ca Y&

Dc •gdYybY^]býHÚzWJ\_`L bYa Y'bU]cb\_i HYghAmiDxD'YVc `bUdýYa Y'Xc 'c\_bUdfY JUXU UI F@ `\\Hd. #%%&+ "S"S%"U'a UUVmigUncVfUh]` bUyUdfj z hYgkj UWDxD'gfbzb\_U'K YVgYfj Yf'a i gfgla cnfY'a YVYyUž c`Ydf]5dUWYg][ bU]ncj Ubfa Uci nYYbcj ýd\_ci j`Lcb\_Y UdUWY'a cbjhcfj `gnqdfUm]

*Dcnbza \_U =D'UXTYgU%&+ "S"S%"U'cW\cghg• U]UgnidY'c\_z bi =D'UXTYgi "*

### OS Unix/Linux

CdYfU b `gnghfa `dfY'dfUj W'a i ýcj U'ýYbmii a cýbi `Y'dfYj zXn\_cj U `gí ýVmU'a cXi `nž\_hcff dcXCG'K ]bXck g'Ub]`bYI lghí ~ "DfcWg` `býHÚzWJU'\_cbZ[ i fzW'`bY'`Hfj l`bnžfUX`a j`yU`Vi \_ca d'YhY'dci ý] FDAž896'VU‡\_mUYVc j`yH\_c`fi bY\_ca d`cj U "8fi \z` a cýbcg `Yj`cXbz`dfY'dfUj W'Yl dYfhcj U" `bhÝfbYh[ i fi ""5^`Udcj ý]`a `Yb`fi b• \_ca d]zW] `5dUWYžD< D'U`AMGE@`

=býHÚzWJUj `g\_fUh\_Y`fU\_c`a cXi ``5dUWYž

```
%`[i bnjd`UdUWYS &"S"1 "Hf" [n
&"Hf" j ZdUWYS &"S"1 "Hf"
` "[i bnjd`d\ d("S"1 "Hf" [n
("Hf" j Zd\ d("S"1 "Hf"
) "VX`dUWYS &"S"1
* "#WbZ[i fY!! dfYZl 1 #`gf#`cW\#`dUWY
+ "VX" "#d\ d("&l
, "#WbZ[i fY!! gngWbZ`f1 #`Hw! k]h! a nge`!! k]h! [X!! k]h! UdUWY1 "#`dUWYS &"S"1 `!! YbUVY!`fUW!j Ufg
- "a U_Y
%`" a U_Y`bgfU```
%`" VX" "#`dUWYS &"S"1
%`" "#WbZ[i fY!! dfYZl 1 #`gf#`cW\#`dUWY!! U`Mj UhY! a cXi `Y1 gfWa cXi `Yg#`d\ d(#`Jvd\ d("U
% " a U_Y
% " a U_Y`bgfU``
```

DfYXh a hc'\_fc\_ca 'a ' yYH' dfY\_cdfcj U '\HdX'V|bzfbmig• Vcf'Wn'i y'Yl lgi ^ W'j Yfnji "BYnUVi Xb]hYj yU\_ dfYXh a 'j ndb• 'K K K 'gYfj Yf'"

%) "VX#YhW

%\* "Vd'd\ d"!b]!Xglid\ d"!b]'

HfUn'YXjh i H' #YH#d\ d"!b]g• Vcf'U'bUghUj H'D< Dj c Vm'5\_ 'WWH'a U 'hYbhc'g• Vcf'JbXYz dci yjhY  
!!gngWbZXf1 #WghUj '\_fc\_i', "

%r "9X]li hY'\HdX'WbZUdf]XU'hY'

5XXHdYUdd'Wjhcb# !\HdX!d\ d'"d\ d'"d\ ha ``"d\ d' ''d\ d( '

H 'a ' yYH'bUghUj ] dfidcbnñ\_hcffVi XY'D< D'gdfUWj zj U ''

% "Dci yjhbcfa z 'bmigd' gcVnUghUj Yb]U'Ugdi ghYb]UK K K 'gYfj YfU'5dUWY'b]YYb'< I D'U'YVc 'I GF%g][ bz''

VK#i gf#`cW#UdUWY#V]b'

UdUWYV]b'ghcd'

UdUWYV]b'ghUfh

## Dft\_ UX]byHUzWYdcXCG@-BI L'8YV]Ub

DfYXdc\_ UXza žy'Ya za 'gYfj Yf'df]dc'Yb '\_]bhYfbYi ''5\_hi U]ni 'Ya 'Xglf]V•W] df‡\_Unca

. Uhd[ Yhi dXUhY  
. Udh[ Yhi d[ fUZY

Udcgli dbY\_ca d]i 'Ya 'YXbchij f'a cXi 'm'BYnUVi XbYa 'Wn'Udh[ YhghU bi 'dchfYVbf'\_b]jyb]WzU\_ 'W' VU' ' \ Uj ] \_cj f'g• Vcfmifl "L'hu\_ 'U'W'Xj j YfnjY' Dft\_ UX'Y' ]V[ X&U' ]V[ X& XYj

. Udh[ Yhi]bgHU''' ]V[ X&

Bzncj '\_b]jyb]W'gU'Xz'n]gh 'bUdf‡\_UXbUkkk"XYV]Ub"clf[ j 'gY\_W]dUWU[ Ygždf] ca 'j m' UXzj Ua 'j yYh\_mifU\_ 'hYgh]b[ L'VU‡\_m'

%"AMGE@

. VX#ha d#a nge'  
. "#WbZ[ i fY'!!dfYZ] 1 # gf#`cW#a nge``!!gngWbZXf1 #YhW!k ]h!WUfgYh1 k ]b%&) \$  
. "#a\_U\_Y  
. "#a\_U\_Y]bgHU`  
. VX'''

&"CD9BGG@! GG@nU\_ UX

. VXcdYbgg`

· "#WbZ[  
· "#a\_U\_Y  
· "#a\_U\_Y]bgdH~  
· "VX""

AC8GG@

VX'a cXgg~  
GG@S65G91 # gf#cW#gg~  
Yl dcfhGG@S65G9

"#WbZ[ i fY!!k ]h!UdUWY1 ""#UdUWYS%" "/\* !!k ]h!gg`1 ""#cdYbgg`1 S"- /\* X#!!dfYZl 1 # gf#cW#UdUWY

D< D( "&"!  
VX'd! ( "ll

"#WbZ[ i fY!!k ]h!UdUWY1 ""#UdUWYS%" "/\* !!k ]h!a nge`1 # gf#cW#a nge`1 k ]h![ X!!k ]h!HZ!!gngWbZXf1 #YhW!XgUVY!XYVi [ '!!YbUVY!hUW!j Ufg' !!k ]h!dXZ!V1 # gf#cW#dXZ!V!!k ]h!`dY[ !Xf`!!k ]h!n]V!Xf`!!YbUVY! [ X'bUhj Y!HZ!!k ]h!hZZXf`!!YbUVY!Zd'!!YbUVY!gcWYg`  
a\_U\_Y  
a\_U\_Y]bgdH~

5D57<9%" "/\*

VX'UdUWY

"#WbZ[ i fY!!dfYZl 1 # gf#cW#UdUWY!!UWj UY!a cXi `Y1 gfWa cXi `Yg#d\ d( #Jvd\ d( "U!!YbUVY!a cXi `Y1 gg`!!YbUVY!g\UfYX1 gg`  
a\_U\_Y  
a\_U\_Y]bgdH~

U'gdi ght a 5dUWY

#YhW!b]hX#UdUWY gLfhUYVc '# gf#cW#UdUWY#Vb#UdUWf' gLfh

?cbZ[ i fzWUDK D'

G• h i 'Xj Y'a cÿbcgh"

Dci ý]hY" gYh d" g\_f]dhí z\_hcf 'Y df]VU Yb \_ D< D" G\_f]dhigUdcyUXi `YcXdcj YXU 'bUchzn\_mUj n! YbYh `YAU\_Y: ]Y" G\_f]dhigdi ghtY  
df‡\_Unca "#gYh d"

G\_f]dhíhYj n! YbYfí `Yg• Vcf" Xc!WbZz\_hcf 'cVgU\i `Yj c VmddfYXUb f'WbZ[ i fY" A' ýYhY'hYbhc'g• Vcf'a Yb] 'VYn'gd• ýHb]UgYh di žgHU ‡  
bUdLgU "#Xc!WbZUgdi g ] WbZ[ i fYg'bcj a ]j c VUa ]"

Fi bf gdi ghYb]Y WbZ[ i fY" JýYh\_mia cÿbfj c Vnij mlyY "#WbZ[ i fY"!!\ Yd"

DcXfcVbYy]Y`Y'a cÿbf'bUgHj ] 'D< D'j '\_cbZ[ i fU b W'g• VfcfcW'd\ d"]b]U'\HrdX'WbZ

#### 4. Prvé kroky.

Df]jbýHjzW'D< ca Yga YbUjbýHcj U]U^XUHUVzni 'AMGE @'DfY`Y^gdfzj i 'g• ý]Uxa ]b]glfzfcfg\_ 'bzgfc^ [d\ dAn5Xa \]b](#)  
bUdfc[ fUa cj Ub j 'D< D'

...Cj Yfja Yglz ]'VYjU'XUYa cbmidfY'k YWcj 'gYfj Yf'UdUWYU'XUHVzni 'a nge"

K jbXck g\_j 'gnghYa HUma i g]U'Vm'nYYbz ]b\_cb\_Unc'gYa UZcfca 'UnYYbci 'yid\_ci "  
I bll . dca cWi 'df‡Uni **dgUi**

Gdi gh‡a Yj 'dfY ]'UXU ]•j cXb• 'Hg‡ej UWl 'ghfzb\_i "D<sup>c</sup>D'dUfgi 'YflgdfUWj zj UL 'Yb 'ghfzb\_nz'\_hff' 'dfYy] 'Wnfcn\fUb]YK 96 'gYfj YfUZHU\_yY  
D<sup>c</sup>Dg\_f]dh]b]WU]ni 'Ya Y flgdi gh‡a YLj yXm'Yb 'dca cWi 'Y\c ]bhYfbYh‡j Y^I F@UXfYgm

\Hd. ##cW\cgh

\Hd. ##cW\cgh#d\da n5Xa ]b

\Hd. ##cW\cgh#bXYl "d\d


\Hd. ##cW\cgh#dfc'Y lSca Y| U#Ygh'd\d

? 'dUfgcj Ub]i 'gUa cnfY'a YbYX 'XYZU\_ 'g\_f]dhinU c'za Ydca cWi 'Y\c 'c\_z'bY'UXfYgmj 'g• Vfcfj ca 'gnghfa YZU\_c 'bUdf"

## 7. Fk k PUXfYgUScbYhYgh'd\d

Gdfzj bYj c'Ub]Y'Y

\Hd. ##cW\cgh#UXfYgUScbY#Ygh'd\d



DfY'hg‡ej Ub]Y'\_cbZ[ i fzWY'D<sup>c</sup>D'gU'dci y‡ U'Z b\_VJU'd\ djbZeFf" "DfYh‡U\_c'dfj 'bUenU'gfb 'df‡\_UX'dci y]Ya Yh‡c 'Z b\_W' bUj ndigUb]Y'\_cbZ[ i fU b\_W'bUgHj Yb‡D' D'

**Df‡\_UX( !%'Hg‡hd\d**

03d\ d

..##'bUdgj` bchYdUXY'U'i `cn'Xc 'k YVcj f\c 'UXFYgUfU'U\_c`gi Vcf'  
.....hYgh'd\ d'fdlcnf` b]Y hYgh'd\ d" H H

..d\ d]bZcfL/

.....32

Dc i 'cýB#g• Vcfi 'Xc 'k YVcj f\c 'UXFYgzfU'fdlcnf]\HdX'WbZ'XfY\_hj i '8cWa YbfFcch' bUdf"  
8cWa YbfFcch"7. #k k "Y'k YVcj 'UXFYgzf Wpk k Lgdi gh hYgh'd\ d'Wn'dfY\ JUXU

\Hd. ##cW\cgh#hYgh'd\ d

J 'df\dfUXY'• gdYWi 'i j ]X\ a Yj ghi d'Z b\_WY'd\ d]bZcfLzj 'df\dfUXY'bY• gdYWi 'dcdfg'WnVm'5\_ 'g• Vcf'bYYI lghi 'Y'flUYVc'ga Y'\c i 'cý]'l'g'  
df\dcbsi 'H hzj 'bchYdUXY'gU'h'ghzj UlzgYfj Yfj nd\Y WmVi '( S( "

## 5. Editor a prehliada

DfY'YX]lzWf 'g\_f]dhcj 'j 'D< D'a ' ýYa Y'dci ýj 'dfcZg|cbz 'bYj j c'zfg\_Y'dfcgfhYX]Y'hdli '=89zfcnýfYbf'YX]hcfmU'YVc'U^nz\_ 'Uxbf'YX]hcfm  
hdli 'bchYdUX'U'YVc j l"? UýX 'bzgfhc^a z i f lh'fj \cXmU'bYj \cXmU'gd' gcV'dfzW'g'b\ a 'Yj 'XfcVbcghJUW'cX]jyb "'J 'X'\cXcVY^  
j j c'zfg\_Y' dfU ]gU'bUj JUWcgj YX ]]bUg'YXi ^Wbzgfhc^Y

... **NybXGh Xjc** ! 'dfcZg|cbz 'bmi=89'bzgfhc^cXk k "nYbX'Wa 'z'WbU'WW% \$'I G8#]WbWUž

nUi Xc j Ub 'XYVi [ [ Yfz'gdfzj U'dfc'Y\_hcj ž a i 'h'd'Uh'fa b 'bzgfhc^j 'Uj Y


... **AUfc a YX]U< ca YGjh** ! 'dfcZg|cbz 'bmiYX]lcf'bUlj cfVi 'K YVcj ž nj fUn cj Ub]Y gnblU Yz'bYdcXdcfi 'Y'XYVi [ [ Yfz'WbU'cX) SSS.  
G\_#]WbWUž 'Yb dfY K ]bXck gk k k "a Ufc a YX]U'Wa

... **I 'HfU9Xjh** ! 'dfc[ fUa zlcfg\_ 'YX]lcfž nj fUn cj Ub]Y gnblU Yz'VYn'dcXdcfmXYVi [ [ YfUž 'Yb 'K ]bXck g'j Yfn]Uk k k "i 'HfUYX]hWa

... **D< D'7cXYfDfc** ! '=89'bzgfhc^z dcXdcfU'XYVi [ [ YfUž'nUXlf a cž 'Yb dfY K ]bXck gk k k "d\ d]XY"XY

... **9a UWzjA** ! 'YX]hcfz'VYn'dcXdcfmXYVi [ [ YfUž'K ]bXck g'U^@bi l k k k "l bi "cf[

Df]XYVi [ [ ]b[ i 'j '=89'Y'a cýbf'hfUgcj U 'dfc[ fUa 'df]Ua c j 'c\_bY'=89zdf]dci ýh'YX]hcfU'VYn'dcXdcfmXYVi [ [ YfU'Y'bi hb'gfzsb\_i 'fYcUXcj U 'dca cWi 'dfg'i ýbY^\_zj YgmifFYF'Yg' L' 'dfcZg|cbz 'bmi\_ca d]zlcf'N9B8'7ca d]Yf'Y'XcXzj Ub 'g'df'g'i ýb a '=89"



CVf"\*\* ! 'D< D'7cXYf'Dfc =89

< cIrcj f' gIgfzb\_mUg\_g\_f]dlmig' dfYnYbIrcj Ub'f'j' dfY\ ]UXU ]" J'g' UgbcgH'a za Y\_ XlgdcnM] bUg'YXj ~ W'dfY\ ]UXU Y.

... **A** **M**cg~~c~~**Z**i=blHfbYh9l d'cfYf! **k k k**"a **M**cg~~c~~**Z**iW**a** !' bUfcnýfYbYy'f dfY\ ]UXU z'a d]Mfbz'g' Ug 'CG'K ]bXck g'z'bYd'gUb' yHUbXUfH'a z' WnVmldf' [ YbYfcj Ub'f' < HA @LA @U'7GGz'ncVfUni 'Y'U'vYd'Ub' \_OEx'Yl jgli 'Y'Yb'dfY'd'UHZfa i 'K ]bXck g'U'5dd'Y A UJbHcg'z nUXUfa c'z dfcVfa mig'\_Ycj Ub' a ]glfzb\_Ua ]

... **CdYfU!** **k k k**"cdYfUW**a** !' a cXYfb' a i 'hd'UHZfa b' dfY\ ]UXU z'dca Uz' ]bhYfdfYlzWU>5JMj VcfbY[ YbYfcj Ub' < HA @Z' 7GGZLA @\_OEx'g' UFYk UFYfYgd'"UXk UFY

... **Acn**"U! **k k k**"a cn]"Ucf**f** !' CdYbGci fW'a i 'hd'UHZfa b' dfY\ ]UXU z'cV Ugbf'dfcVfa mig'\_Ycj Ub' a 'glfzb\_c\_zdfj z'dcXdcfU' 7GG&UL@

... **BYlgWdY!** **k k k**"bYlgWdYW**a** !' a i 'hd'UHZfa b' dfY\ ]UXU z' Uglc' ja d]Mfbz'g' Ug 'I B=Lcj' W'gnghfa cj z'dca UYfj' j c'z WnVmij '[ YbYfcj Ubca '\_OEx'z bYgd' i 'Yj yH'myHUbXufXmik k k k' W**c**f**f**

... **?cb*e* Yfc*f*!** **k k k**"XYcf**f** !' j' Vcfb' dfY\ ]UXU z'g' Ug '?89'fl bjl L

GUa cnfY'a Y'Yl jgli ~ 'Y'YH' Uy'Y'dfY\ ]UXU Yz'bUdf' @MBLz'5fUWbY'U'Y'JW'fcnýfYb]Y'Y'j Y a ]'cVa YXnYb'f'f'Ya '@MBLUE"7]Y ca' j' c'z fU'Vnia U'U'Vm'i blj Yfnz'bU< HA @glfzb\_UfXc\_i a YbHz'\_hcfz'j mYfz'fcj bU\_c'dcXj yHl\_ a ]'dfY\ ]UXU a ]'BU'bcj y'Y'bcfa mU' yHUbXUfXmibz 'XYH' bU'glfzb\_Y **k k k**"k' W**c**f**f**


>Y'Xc 'Y'Ylf' bUgHj' ]' dfY\ ]UXU z'Uvnig'U'bYgbUy' ]' c' df]dz'Ub]Y'bU' ]bhYfbYhdf' dfzWg'Xca zW' K K K 'gYfj Yfca "B'UgHj' Yb]Y'gU'dfYj' zXnU'j' df'g'i ybY'rz'c'Y'Yz'gdfU' ]XUDfYZfYbWYg'fC'dYfUz'Acnj'Uz'B'YlgWdYL'U'YVc' Bzgfc'Y'fHc'g'!2' bHfbYhCdhcbg'!2' 7cbbYW'cbg'fAG' =bHfbYh9l d'cfYf"

Df]dfzWg'Xca zW' K K K 'gYfj Yfca "Y'bi hbf'bUgHj' ]' j c Vi' Df]dc'Yb]Y'f'f'cbbYW'cbL'bU'Ydf]dz'U' gU'fB'Y'Yf'X'U'U'W'bbYW'cbL'! dcnf' cVf"'+ U' bUdgU' UXfYgi 'I F@Xca zW'c' K K K 'gYfj YfU'f'f'Udf' \Hd. #f'W'\cgh'UYVc' \Hd. ##%& "S"S%"L'Uj' X'J'U'Q'cj ca' c\_bY'dclj fX' j c Vi' G\_• g' nbcj i' fHfm5[ U' bL'UYVc' Df]dc' ]' g'U'f'f'cbbYW'! dcnf' cVf", "



CVf" + ! 'bUgHj Yb]Y =@'bUbYdf]dz'Ub]Y gU\_ ]bhYfbYhi

5\_ 'ga Y'df]dc^Yb]dca cWi 'g]Y cj f\c'df]dc^Yb]Uf]dc ]H 'a z 'g]Y cj • \_Ufh 'UYVc 'dcXcVbf'nUf]UXYb]YL 'Ybi hb]f'bUgHj ] 'DFCLMgYfj Yf]j 'bUgHj Yb]dY \JUXU UHU\_žUVmVc 'Uj c VU**6ndUgg'dfcl migYfj Yf]zef`cWU UXxFYgg**nUy\_fibi hz'fBYdcij y] U 'dfcl migYfj Yf]dfY`c\_z'bY' K K K 'gYfj YfnL"



CVf", ! '8]UQE 'dfY df]dc^Yb]Y\_ ``c\_z'bYa i 'K K K 'gYfj Yfi

## 6. Databáza a jej správa


Df]dfzWg'XUHVznci 'AMGE@'Yj \cXbf'dci y] 'Ux a ]b]ghfU b 'bzglfc^**d\daN5Xa ]bž\_hcf** 'Y'gla clb 'bUdfc[ fUa cj Ub 'j 'D< D' DfY' \_ca i b\zW 'g'XUHVznci 'g•y]Vi 'bUhj bmXfUj Yf]fcj 'zXU L'UYVc j 'YcVYbf'cj 'zXU Y'hdi 'C867'U>867" 'Hn]cj 'zXU U'Ybi hb]f'nj c] 'df]'ca d]zW]D< D'U'YVc j 'g'VcfY'd\l'bj]"NUVi Xcj Ub'cj 'zXU Yj nd]gi 'Y'Z b\_WUd\ **dlbZefE**

Dc'gdi ghYb‡bzgfc'U'd\ dAn5Xa ]b! f@\Hd.##cW\cgh#d\ dAn5Xa ]bL'gU'ncVfUn‡c\_bc' dfY'nUXUb]Y`c[ ]bi 'U'\Yg'U'>Y'bi hb'f'nUXU . fcj bU\_ ``c[ ]b'U'\Yg'c'U\_c'df]j ghi dbca ]b]M]U]ncj Ub‡XUHVznmAMGE@Z]bU\_ 'gU'd\ dAn5Xa ]b'bYa ' yY\_ 'XUHVzny'df]dc' "Df‡dUXbf na YbmibUgHJj Yb]U'd\ dAn5Xa ]b'gU'dfYj zXnU\_ j 'g' VcfY'WbZ| 'TbWd\ d

B UghHJj Yb]Y'd\ dAn5Xa ]b! Uj 'gi VcfY'Wb[ ][ " ]bWd\ dž'bU'X 'Yy]hY'y]Y' Ugh'g' 'nj' fUnbYbf"

#  
I 'GYfj YffgLT'WbZ| i fUh]cb  
I #  
^ ]1 '\$/  
## H Y~ WQ GGYfj YfgfQUffUmighUflg'k Jh~ WQ GGYfj YfgfQOQ'8c'bchi gY~ WQ GGYfj YfgfQOSQ  
## M i 'Wb'XjgUVY'UgYfj Yf'WbZ| 'YblfmiVmigYh]b[ '\cghlc' ffi  
^ ]Z Z/  
^ WQ GGYfj YfgfQD ]QD\cghfQ1 'ficW\cghf'##'bzncj 'gYfj YfU'U'YVc 'Y\c' =D  
^ WQ GGYfj YfgfQD ]QD\cfcfQ1 'ffi'##  
^ WQ GGYfj YfgfQD ]QD\gcWYhQ1 'ffi'##  
^ WQ GGYfj YfgfQD ]QD\W/bbYMS\mdYfQ1 'fifdfi'  
^ WQ GGYfj YfgfQD ]QD\W/bhfc'i gYffQ1 'ffi'  
^ WQ GGYfj YfgfQD ]QD\W/bhfc'dUggfQ1 'ffi'  
^ WQ GGYfj YfgfQD ]QD\h\ShmYfQ1 'fi Hdfi'##'5i h YbhWWhcb'a Yh\cXfWbZ| z\Hd'cf'Wc\_]Y'VUgYXL3  
^ WQ GGYfj YfgfQD ]QD\gYffQ1 'fi nj'UH'g' YSa Ybcf'##'AnGE@i gYf  
^ WQ GGYfj YfgfQD ]QD\Uggk cfXfQ1 'fi Yg'Y\_cff'##'AnGE@dUggk cfXfcb'mibYYXYX

Dc'gdi ghYb‡d\ dAn5Xa ]b! U'gU'ncVfUn‡\ 'U bz'glfzb\_Užn'\_hcfY''Y'a cÿbf'f]UX] 'XUHVzncj 'gnghfa 'AMGE@'DcXfcVbY'ÿ‡dcdfg' d\ dAn5Xa ]b! U'bz'XYH'j 'Xc\_i a Ybh' D\ dAn5Xa ]b! 'i yj'UH' 'gdf]Yj cXWž'\_hcf 'Y\_ 'XgdcnW'dfY' 'Ybcj 'D\ D\_ 'i Vi "BY' 'Ybcj ]U'a ' yi ' j ni yj 'Xc\_i a Ybh'Wl '\_ 'Xubfa i 'gcZh'k UfY'



8' `Yjhf`•XU`Yg`• j`F86AG`AMGE@i`cYbf`j`XUhVznY`a nge```Dc`U\_Y^\_c j Y\_`na YbY`•XU`cj`Y`bi hb`XUhVzn`i`AnGE@nbcj i bU #U`ftlcnf]`cVf`- L"

8' `Yjhf`HVi \_mij `XUhVznY`AMGE@

...**I G9F**!`[`cVz`bU`HVi \_Ug`i yj`Uh`a ]`U[`cVz`bma`]`df`ghi dcj` a`]`dfzj`Ua`]"`CXdcf` Ua Yj`yH\_ma` i yj`Uh`ca`c\_fYa`UXa`jbU`bUgHj`]`dfzj`U`bUB`#Bc#`U`dfzj`U`\_`df`g`Y`bY`XUhVznY`bUgHj`]`j`HVi \_Y`86"

**Df`i`\_`UXlb`Yg`Y`Ybi`hb`dc`i`y`\_`b`\_`W` D5GGK CF8`**


...**86`!**`c\_z`bU`HVi \_Ug`df`ghi dcj` a`]`dfzj`Ua`]`\_`YXbchj` a`XUVUVznUa`"

## 7. Základná syntax jazyka

J`bUg`YXi ^`VW`\_Ud]`c`zW`Y`cd`gUbz`nz`\_`UXbz`gnbhU`U`df`\_Unm`Unm`UD<`D`Df`yhr`Xji`Y`j`cXbf`]\`bY`cXg`•`yU`hi`nj`YfY`bYbf`df`\_`UXn`fYgd`dc`\_`yU`gU`c`bU`dfc[f`Ua`cj`Ub]`Y`dc`Xc`Vb`W`\_cbY`fi`\_`V`U`U`m`J`za`D`D`df`Y`c`U\_c`gU`\`c`cf`"Xc`\_`fj`]"`I`Yb]`Y`g`U`dfc[f`Ua`cj`U`W`c`

Um\_UVn'g\_·ýUb]U'YUVcfcj Ub]U'bYa z'dcXU'a c'W'g\_·gYbcghj } ýtj nbUa žj \cXbf'Y'Yb'bUdf‡\_UX'df]'dfYWcXY'n'YXbf\c' dfc[ fUa cj UVW\c 'Um\_U'bUxfi \ "

5\_c gca i ýgdca #bUž'Um\_Dg'\_j]bUj n YbYfcj Ub]Y<HA@glfzb\_m'BU\_c\_c'XYc j } ýlbcj ]bhYfdfYlcj Ub g\_fldžj ghi dca 'Y<HA@ Xc\_i a Ybh'Gd' gcVj n YbYfcj Ub]U<HA@Xc\_i a Ybli 'dca cWi 'Um\_U'DxD'YncVfUhYb 'bU'cVfzn\_i '%"



H cfVU<HA@Xc\_i a Ybli 'dca cWi 'DxD'dfYV]YUj c j JUWf W'ZnUW''Df]V]ybYg' 'ncVfUhYbf'bU'dfYXWzXnU'• Wa 'cVfzn\_i .

%"?'JYbli j YX]YI F@UXfYgi 'Xc\_i a Ybli ž\_hcf 'WW'ncVfUh] ''DfY' JUXU 'dca cWi '<HHD'fk ndYf'HM hHfUbgZf'dfclrc\_c'E'dcý]UXU' gYfj Yf'c j fzHb]Ydcý]UXc] Ub]c Xc\_i a Ybli "

; 9H\Hd ##cW\cgh#bXY "d\ d

&"GYfj Yf'nghz'ýY'bY'XY'c'gU]W 'Xc\_i a YbhflcXU'df]dcbm" d\ dLU'nUj c'z'a cXi 'DxD'\_hcf ]bhYfdfYhi 'YDxD'Xc\_i a YbhUj gYXc\_j fzH'K K 'dfY' JUXU i 'fj fzH'j n YbYfcj Ub <HA@Xc\_i a Ybh'GYfj Yf'j n YbYfcj Ub <HA@Xc\_i a YbhicXc'Y'dca cWi 'a YhDXm DI H<HHD'dfclrc\_c i '\_]Yb]g Y'gfhUbYž'\_hcfz 'c'ncVfUh' J'df]dUXYž'ýY'df]XY'dcý]UXUj \_U'bU[ YbYfcj Ub]Y'gU]Wf\c'K K ' Xc\_i a Ybli 'fbUdf‡\_UX'g'df]dcbcmi "ha 'ž'a cXi 'DxD'b]Y'Yj c'Ub "BUghUj Yb]Yž'\_hcf 'Xc\_i a Ybli ]bhYfdfYlcj U 'U'\_hcf 'b]Yž'Y' a cýbfj 'g' VcfY'\HdX'WebZ

>Um\_DxD'Yg'la cnfY'a Y'a cýbf'\_ca V]bcj U 'g'\_Ug]W a ]'"<HA@H]a ]'"DfYlc 'Y'nbUcg <HA@bYj m bi hbz 'dfY'\_UyXf\c'k YVcj f\c' dfc[ fUa z'hcfU'

**NId•nXYb]YXc'<HA@**

### **Dft\_`UX+!%`NId•nXYb]Y**

```

``%
``&%`03`YWc`f`hlc`'YbU^YXbcXi`Wytgd`gcVb`L/`32
`` ..
``(`&%`03d\`d`YWcf`U_`WWH`gdfUw`zj`U`LA@Xc_i`a`Ybhndci`yH`fUXyY^hYbhcPb`L/`32
`)
``*`0gW]dh`Ub[i U] Y1 ``d\`d`2
``+`Yw`f`b]Y_hcf`f`YX]hcfmifU_c`fcbhDU`Y`bYnbzyU`
``,`dfYXWzXnU`Wgd`gcV`L/
``_`#W]dh2
``%
``%`
``%`(`01`'Yw`f`A`yH`H`y`dci`y]`U`5GD`H`m`L/`1`2
``%`(`01`1`j`Uf]UVY`H`h`Y`g_fUh`U`dfY`01`Yw`c`""`1`2
``%
``Df`z`a`c`ybcg`Y`X`gdcnW`Yb`U`Y`nUdbi`h`a`c`ybcg`gdfUw`zj`Ub]Ug`fzh`b`W`H`c`"NUVYndY`f`h`Z`b`VU`g`c`f`h`l`g`f`L`df`d`U`b`Y`
`cbZ`i`f`U`b`z`j`c`VU`g`c`f`h`c`d`y`b`S`H`j`D`c`D`_c`b`Z`[`i`f`U`b`c`a`g`V`c`f`Y`z`j`df`_ca`d`z`W`X`f`Y`h`U`!`Y`b`U`V`Y`g`c`f`h`H`j`g`"u`l`f`h`a`c`y`bcg`'Y`
`dci`y`j`U`5GD`H`m`A`g`h`V`m`d`c`c`Y`b`f`j`b`U`g`H`j`Y`b`f`U`g`d`S`H`l`g`5`'Y`h`a`c`y`b`f`z`j`m`V`U`H`g`U`h`c`i`h`y`i`d`f`c`[`f`U`a`c`j`Ub]U`z`D`c`Y`x`g`
`X`v`f`b`U`h`z`U`n`i`g`U`b`Y`a`i`g`Y`c`dc`5`G`D`c`d`]`"

```

**CXdcf•`Ua`dci`y`j`U`H`m`03d\`d`U`32**

### **CXXYYb]Ydf`\_Uncj`U\_ca`YbhzfY**

**Df`\_Uncig`c`X`g`V`U`c`XX`Y`b`f`dc`X`c`V`b`Y`U`c`j`D`9`F`@`9`U`Y`V`c`U`m`i`7`!`V`c`X`c`J`U`f`\_c`i`"?`c`b`W`j`H`j`f`3`2`L`n`b`U`a`Y`b`z`H`Y`y`\_c`b`j`Y`w`df`\_Uncj`z` 
`H`j`y`Y`b`U`g`Y`x`i`^`W`X`j`U`df`\_U`n`i`g`b`f`"`D`c`D`g`U`a`c`n`f`Y`a`Y`d`c`X`dc`fi`Y`j`J`U`w`df`\_Uncj`b`U`Y`X`b`c`a`f`j`U`X`\_i`"**

### **Dft\_`UX+!&`CXXYYb]Ydf`\_Uncj**

```

``%
``&03d\`d
```Yw`c`H`h`c`Y`h`g`h`/
``(`32
`)
``*`03d\`d`Yw`c`H`h`c`Y`h`g`h`32
``+
``

```

D`d`c`X`dc`fi`Y`_c`a`Y`bh`zf`Y`j`y`h`Y`f`f`f`f`f`Z`Z`f`U`I`b`j`"

Dft_`UX+!`?"ca`YbhzfY

```

``%
``&03d\d
`` `` ``YWc ``hYgh\`/##Hch\`Y\`YXbcf]UX_cj ``_ca Yblzf``
``( `` ``# Hch\`Yj JUW]UX_cj
``) `` ``_ca Yblzf\`#
``* `` ``YWc ``]b `hYgh\``
``+ `` ``YWc ``dcgYXb `hYgh\`/# Hch\`Y_ca Yblzf\`j \`y\`YI B=Li
``; `` ``32
``_ `` ````
```

>YXbcf]UX_cj ``_ca Yblzf`nU\ UVC_`Xc`_cbWUf]UX_i `UYVc i _cb cj UW\`c`HU[i \`zdcXUlc\cZ` c`df\XYg_` f"

Df\`_`UX+!(`"? ca YblzfY

```

``%
``&0\%2Hch\`Y03, `YWc ``YXbcXi Wm\`/32`df\`_UX`0\%2
```0d2<`Uj ] _Uj md\`YfHch\`Y`df\`_UXfl
``(`
```

D< D\`j \`yU\_`bYdcXdcfi `Y\`hj ``\`b]YnXYb]Y\_ca Yblzf\`c j \`z`bUg`YX\`^`Wdf\`\_UX`Y`dfYh\`bYZ b b "

### Df\`\_`UX+!(`"? ca YblzfY

```

``%
``&03d\d
`` `` ``#
``(`` ``YWc ``Hch\`YhYgh\`/# Hblf\`_ca Yblzf`fcV\`dfcVfa m
``) `` ``#
``* `` ``32
``+ `` ````
```

## 8. Typy

J\`yYh\`ndfYa Ybbf\`j `D< D\`g\` i f \`hf\`c \`hndi \`zdcXcVbYU\_c\` i X]Uj \`fYz`bca \`gj YhY\`D< D\`dcXdcfi `Y`bUg`YX\`^`W\`hndm

**dc`Y**  
**XYgU\`bbf` \`g`U**  
**Wf` \`g`U**  
**cV`Y\_hm**  
**fY\_UhW**

H\`d\`dci \`y\`hY\`dfYa YbbY\`gdfUj ]XU`bYnUXzj U`dfc[ fUa zhef\`zU`Y`U\`h\`ca U\`Wmj n\`Yfz`D< D\`dcXU`dcj U\`mi \`cy\`YbY\`]bZ\`fa zWY\`5\_`WWhY\`gUa \`g\`Ubcj ] \`hnd\`dci \`y\`hY\`dfYa YbbY\`Z`Y`a c\`yb\`**dfYhndc\`j** U \`dfYa Ybb\`dca cWi \`Z`b\_W`**gYhndYH\`E** B`YnU\`i Xb]hY\`z\`y\`dfYa Ybbf\`gU\`a \`yi \`gdfzj U \`f\`nbY\`dcXU]W\`hndi \`U\`g\`h\`z\`WY\`

**=bhM`Yf!`Wf` \`g`U**

7Yf` \`g`U\`a \`yi \`Vm\`dci \`y\`hf\`g\`bUg`YX\`^`W\`i \`gnbH\`U\`ci .

## Df<sub>U</sub> 'UX, !%'F' nbYhndm

```
..%
..& `` U1 '%& (/_ `XYgUhbbf` #gU
.. `` U1 '!%& /_ `nzdcfbf` #gU
.. (`` U1 '$%& /_ `cga] _cj f` #g`c ffcj bU_f`U_c` , ' X
..) `` U1 'SI %& /_ `yYgbzgh_cj f` #g`c ffcj bU_f`U_c` % XL
...*
```

## ...8YgUhbbf` #gU

8YgUhbbf` #gUff`Xci VY`La` 'yi`Vm`XYZbcj Ub`bUg`YXcj bY` .

## Df<sub>U</sub> 'UX, !&"8YgUhbbf` #g`c `Xc`dfYa YbbY`

```
1
2 $a = 1.234; $a = 1.2e3;
3
```

## FY UnW

FY UnW`a` 'yi`Vm`c\fUb] Ybf`Xj ca ]`Xfi \a ]`cXXY cj U cj "·

5\_ `Y`fY UnYWc\fUb] Yb` '•j cXncj\_Ua ]`ff`L`dfYa Ybbf`j` 'Y\c`H`Y`g` `gdfUWj zj Ub`f`"5\_c`j` 'Unm\_i` '7`UD9F@z`gd} hb`f`ca #h\_c`ff`P`L`Y`bi hb`f` dci yi` `df]`XYZbcj Ub`fydYV`bnW`nbU\_cj` "

## HVi \_U, !! ""üdYV`bYnbU\_m

gY\_j YbVU j nbUa

\n	b ej` f]UXc_
\r	j cn‡_
\t	j cXfcj b` HVi`z_hcf
\\"	gd} hb`f`ca #h_c
\\$	nbU_`Xc`zfU
\"	•j cXncj_U
\[0-7]{1,3}	fY[ "j` fUn`#c_lz`bn#`
\x[0-9A-Fa-f]{1,2}	fY[ 'j` fUn`#\`Yi`UXVja`z`bn#`

8fi \ci` a cýbcg ci` 'Y`i`nUj`f]Y`fY`UnYWc`UdcglfcZej` ff`fiL`H`bhc`fY`UnYWbYVi`XY`j`c`j`b`h`f`dUfgcj`Ub`z`ydYV`bY`nbU\_mib]Y`Y`a`cýbf` dci yi` !`Vi`X`ncVfUnYbf`HU`U\_c`g` .

Uýci` a cýbcg ci` 'Y`dci`yi` `Xc\_i`a`YbHU`b`gnbHU`"ff`000`L`8c\_i`a`YblzVU`nU`#bU`nU`h`a`h`nbU`ca`U`cb`#df]`H`i`z`\_hcf` 'Y`i`j`YXYb` nU`b`#`fb`Udf‡`UX`9C`8L`H`bhc`H`i`a`i`g`Vm`bU`nU`JU`h`i`f]UX`U`" .

## Df<sub>1</sub> UX, !( "F" nbYlmhm

```
1
2 $str = <<<EOD
3 Príklad of string
4 spanning multiple lines
5 using heredoc syntax.
6 EOD;
7
```

## Dc**b**. Df|XUb<sub>f</sub>j D< D' "

FY UnW<sup>Y</sup>a cýbf'gdz'U 'dca cWi 'cdYfzW<sup>Y</sup> JUf\_UffffNbU\_mifY UnW<sup>g</sup>• j 'UghbYnbU\_cj a 'dc ca ždfYhr'\_ 'b]a 'a ' ýYa YU^HU\_hc' df]gi dcj U.

## Df<sub>1</sub> UX, !) "FY UnW

```
1
2 <?php
3 /* priradenie. */
4 $str = "This is a string";
5
6 /* pridanie. */
7 $str = $str . " with some more text";
8
9 /* iné pridanie */
10 $str .= " and a newline at the end.\n";
11
12 /* Tento re azec kon í cisлом '<p>Number: 9</p>' */
13 $num = 9;
14 $str = "<p>Number: $num</p>";
15
16 /* Toto bude '<p>Number: $num</p>' */
17 $num = 9;
18 $str = '<p>Number: $num</p>';
19
20 /* Vráti prvý znak re azca */
21 $str = 'This is a test.';
22 $first = $str[0];
23
24 /* Vráti posledný znak re azca. */
25 $str = 'This is still a test.';
26 $last = $str[strlen($str)-1];
27 ?>
28
```

## Re azcové konverzie

5\_ 'YfY UnW<sup>Y</sup>fzhM<sup>b</sup> 'U\_c' tg'cž'Y\c'hnd Vi XY'bUg'YX<sup>i</sup> ^W

6i XY`hnd`Xci VY`fXYgUh]bb L\_U\_`Vi XY`cVgU\cj U `^YXYb`nc`nbU\_cj `fifz`fYfz`UYVc`f@fl`=bU\_`Vi XY`Wc `gYb `f]bhY| YfL`

< cXbcHU` gU`Y`XUbz `•j cXbc `cXbcLci `fY UhW`5\_`Y`hc `g`cž`Vi XY`hc `hcLc `g`cžj `]bca `df`dUXY`hc `Vi XY`bi `U`fsl`D`Uhbf` g`Ybf`XzHU`nU`bUb` `bYdcj `]bb a `nbUa ]Yb\_ca ždc`\_hcfcia `bUg`YXi`Y`YXbc`UYVc`j`]UW`g`]Wfj`c`]H`bY`U`g`XYgUh`bcbci `]Uf\_ci hž`bUg`YXcj `Ub`bYdcj `]bb a `Yl`dcb`Ybh`Y`nbU\_`fYfU`UYVc`f@fib`Ug`YXcj `Ub` `YXbc`UYVc`j`]UWf`a`]`g`]Wf`a`]"

5\_`Y`dfj `j fUn`fY UhW`hnd`dfYa YbbY`Vi XY`nzj ]g`Y `bU`Xfi \ca `fY UhW`

### Dft\_`UX, !\* "FY UrMj f`\_cbj YfnjY

```
1
2 $foo = 1 + "10.5"; // $foo je double (11.5)
3 $foo = 1 + "-1.3e3"; // $foo je double (-1299)
4 $foo = 1 + "bob-1.3e3"; // $foo je integer (1)
5 $foo = 1 + "bob3"; // $foo je integer (1)
6 $foo = 1 + "10 malych svin"; // $foo je integer (11)
7 $foo = 1 + "10 malych sviniek"; // $foo je integer (11)
8 $foo = "10.0 svin " + 1; // $foo je integer (11)
9 $foo = "10.0 svin " + 1.0; // $foo je double (11)
10
```

5\_`g`WWWh`chYgicj Uh`h`bhc`dfL`UXZ`nU\_`UyX`f]UXc\_`nUFUXH`bUg`YXi`^`Wdf‡`Uh`

### Dft\_`UX, !+"NghMb]Y`hndi

```
1
2 echo "\$foo==\$foo; typ je " . gettype($foo) . "
\n";
3
```

## Polia

....>YXbcfcna Yfbf`dc`]U

D<`D`dcXdcfi `Y`g`UzfmU`UgcVU]b`Y`dc`]U`J`dcXg`Uh`a`YXn`b]a`]`b]Y`Y`y`UXbmfcnX]Yža` `y`Y`Y`]W`j`n]j`cf]`dca`cWi`Z`b`W`^`light`  
UYVc`Ur`U`Ur`UYVc`Yl`d`]W`bY`XY`]bcj`U`\_UyX`dfj`c`dc`U`

### Dft\_`UX, !, "BUD`bYb]Y`dc`U

```
1
2 $a[0] = "abc";
3 $a[1] = "def";
4 $b["foo"] = 13;
5
```

Jnlj cf] `a ' ýYhY H Ydc Ydfcgh a `df]XUb]a ``cXb` hXc `dc U" J `df]dUXY ýYdc i ý]ÝHÝ dfznXbY n`cýYbf`nzlj cf\_nždfj c\_ `Vi XY`nUfUXYb `bU`\_cb]YWdc U".

### Dft\_ UX, !- "BUd'bYb]Ydc UVYn`dc i ý]H]bXM i

```
1
2 $a[] = "ahoj"; // $a[2] == "ahoj"
3 $a[] = "svet"; // $a[3] == "svet"
4
```

Dc]JUa ' ýYa Ylf]YX] `dca cWi ``UgcflfLz UgcflfLz\_gcfllfLz\_fgcflfLz\_gcfllfLz\_i UgcflfLz\_i gcfllfLz\_Ui \_gcfllfLz b\_W"

: i b\_WUWi bflfLj fzLj`dc Yhdfj \_cj `dc U"

Dc`dc]a ' ýYhY dfYWzXnU `dca cWi `Z b\_WYBYI HfLUDfYj lci gE"=bci `cV•VYbci `a cýbcg ci `Y'nUj c`U `Z b\_W "YUWfE"

### J]UWcna Yfbf`dc`JU

J]UWcna Yfbf`dc`JUg•`j Ya ]`YXbcXi Wfž`gH U `df]XU `jb•`Q • cj • Q\cXbch` `bU`\_cb]YWJ]UWcna Yfbf`dc Y`Y`a cýbf`bUd`b] `f` nbna ]`gd` gcVa ]".

### Dft\_ UX, !%\$"BUd'bYb]Yj J]UWcna Yfbf`c`dc`U

```
1
2 $a[1] = $f; # jednorozmerné polia
3 $a["foo"] = $f;
4
5 $a[1][0] = $f; # dvojrozmerné pole
6 $a["foo"][2] = $f; # (mix asociatívneho a numerického po a)
7 $a[3]["bar"] = $f; #
8
9 $a["foo"][4]["bar"][0] = $f; # štvorrozmerné pole
10
```

```
1
2 $a[3]['bar'] = 'Bob';
3 echo "This will work: {$a[3][bar]}";
4
```

### Dft\_ UX, !%\$"BUd'bYb]Yj J]UWcna Yfbf`c`dc`U

```

1
2 # Príklad 1:
3
4 $a["color"] = "red";
5 $a["taste"] = "sweet";
6 $a["shape"] = "round";
7 $a["name"] = "apple";
8 $a[3] = 4;
9
10 # Príklad 2:
11 $a = array(
12 "color" => "red",
13 "taste" => "sweet",
14 "shape" => "round",
15 "name" => "apple",
16 3 => 4
17);
18

```

: i b\_WU\_UffUmEa ' ýYVm'j `cyYbz'U^dfYj ]UWcna Yfbf`dc`JU

### Dft\_`UX, !%&"BUd'bYb]Yj ]UWcna Yfbf`dc`Udca cWi`UffUm

```

1
2 <?
3 $a = array(
4 "apple" => array(
5 "color" => "red",
6 "taste" => "sweet",
7 "shape" => "round"
8),
9 "orange" => array(
10 "color" => "orange",
11 "taste" => "tart",
12 "shape" => "round"
13),
14 "banana" => array(
15 "color" => "yellow",
16 "taste" => "paste-y",
17 "shape" => "banana-shaped"
18)
19);
20
21 echo $a["apple"]["taste"]; # vypíše "sweet"
22 ?>
23

```

### Pretypovanie

D**b**YdcXdcfi ^Y`Yl d`Mfbf`i f Yb]Y`hdi `dfYa Ya bY^df]`Y^XY\_`UfzWjZ`Y^hnd`Y`i f Yb`df]`Y^dfj ca`dcí ýjh`NbÚa Ybz`hcž`yY`U\_`Xc`

dfYa YbbY^`df]fUX]bU`nU ]Uh\_i `fY UnYW Vi XY`hndi `fY UnYW

Df‡\_`UX U hca UhWY^`\_cbj YfnJY hndcj `Y`cdYfzVUg g #Ub]U`fZ fl.5\_`Y`YXYb n`cdYfUbXcj `Xci VYzj yYh mcdYfUbXnig• j m cXbchYbf`U\_c` Xci VY`Uj g`YXc\_`Vi XY`hYy`Xci VY`=bU\_`Vi X`cdYfUbXm]bhYfdfYrcj Ubf`U\_c`Wc tgYb `hnd`]bhY[ Yf`Uj g`YXc\_`Vi XY`hYy`]bhY[ Yf`.

### Df‡\_`UX, !% "5i hca UhWf`dfYhndcj Ub]Y

```
1
2 $foo = "0"; // $foo je reazec (ASCII 48)
3 $foo++; // $foo je reazec "1" (ASCII 49)
4 $foo += 1; // $foo je teraz integer (2)
5 $foo = $foo + 1.3; // $foo je teraz double (3.3)
6 $foo = 5 + "10 malych svin "; // $foo je integer (15)
7 $foo = 5 + "10 malych svin"; // $foo je integer (15)
8
```

5\_`WWhYj ng• yU`YXYb`n`df‡\_`UXcj z`Xcd`bhY`bUg`YXi ^`Wf]UXc\_`nU`\_UjX`df‡\_`Un`.

### Df‡\_`UX, !% "I f Yb]Yhndi

```
1
2 echo "\$foo==\$foo; type is " . gettype($foo) . "
\n";
3
```

## Pretypovanie

### Df‡\_`UX, !% "DfYhndcj Ub]Y

```
1
2 $foo = 10; // $foo is an integer
3 $bar = (double) $foo; // $bar is a double
4
```

Dcj c`Ybf`dfYhndcj Ub]Y`Y`.

...f]bhZ`f]bhY[ YfL`!`bU`]bhY[ Yf
...ffYU`L`fXci VYz`fZcUh`!`bU`Xci VY
...fghfb[ L`!`bU`fY UnYW
...fluffUh`!`bU`dc`Y
...fcV`YmL`!`bU`c`V`Y\_h

BYnUVi Xb]hYz`yY`HVi `z`cfmU`a`YXnYfmig• dcj c`Ybf`.

### Df‡\_`UX, !% "DfYhndcj Ub]Y

```
1
2 $foo = (int) $bar;
3 $foo = (int) $bar;
4
```

B]Y'YJza 'Ugbfz c'gUXYY3'BUdf‡\_UX'df]`dfYhdcj Ub‡g\_Uzfi 'bUdc`Y'gUgHbY'dfYa Ybbz'dfj a `dfj \_ca `dc U`

### Df‡\_UX, !%"DfYhdcj Ub]YbUdc`Y

```
1
2 $var = 'ahoj';
3 $arr = (array) $var;
4 echo $arr[0]; // vypise 'ahoj'
5
```

DcXcVbY'Y'h`U`g`cV`Y\_hca ". :

### Df‡\_UX, !%"DfYhdcj Ub]YbUcV`Y\_h

```
1
2 $var = 'zdar';
3 $obj = (object) $var;
4 echo $obj->scalar; // vypise 'zdar'
5
```

## 9. Premenné

DfYa Ybbf`g`j 'D< D'YdfYnYbhj Ub`f`nbU\_ca 'Xc`zfz`nU`\_hcf a 'bUg`Yxi `Y`bzncj `dfYa YbbY``Bzncj 'Y`Whj` `bUj Y\_cg `diga Yb``  
B`YnU`Xb]a Y`bU`lcž`jY`dfchc\_c`<HD`Y`VmgHj`cj `ž` c`nbUa Ybzz`jYj`yYh`midfYa Ybbf`glfzW` `gi`c`i`d`Ubcg`dc`i`\_cb`Yb‡VY`i`  
g\_f]dh`">YX]bci `a cýbcg ci `Yi`cyl` `dfYa Ybbf`dca cWi`Wc\_]Y`bU`ghfUbY`\_`YbHU`UYVc`dca cWi`gYgg`cb`bU`ghfUbY`gYfj`YfU`

### Df‡\_UX- !%"Bu`bY]Y`dfYa YbbY`

```
1
2 $var = "Bob";
3 $Var = "Joe";
4 echo "$var, $Var"; // vypíše "Bob, Joe"
5
```

J`D`D`g` `ja d`M]bY`dci `j]hf`dfYa Ybbfz`\_hcff`g` `j`yXmj c`Ub`f`cXbchci "NbUa Ybz`hcž`yY`df]`df]fUXYb‡`YXbY`dfYa YbbY`Xc`Xfi`Y`Yj`yXm`  
g\_cd`fcj Ubz`Y`cXbchU`nc`nXfc`cj`Y`dfYa YbbY`Xc`W`cj`Y`dfYa Ybbf`cYg`cfY]U`na`YbU`YXbY`cXbchmj`yU`bYcj`d`nj`b‡`cXbch`Xfi`Y`  
dfYa YbbY`Z`ncg`zj`U`bU`gYVY`bYrzj`lg`f`DfYj`]U`bZ`fa`zW`c`hca`h`hnd`Y`df]fUXYb]U`dcnf]`\_Udjh`i`[J\\_fUnl`](#)

D< D`dcb`\_U`]b` `a cýbcg` `j`c`Ub]U`dfYa YbbY`!`cX\_Uhca "NbUa Ybz`hcž`yY`df]`df]fUXYb‡`YXbY`dfYa YbbY`Xc`Xfi`Y`gU`bcj`z`dfYa Ybbz`  
g]zj`U`\_a g]`U`Ugc`a cV]j`Y`dfYa Ybbf`i`\_Uni`^`bU`fcj`bU`f`a`Y`g`r`j`d`Ua`}h]z`g`h`j`U`glbY`dc`]blfY`Df]`na`YbY`YXbY`dfYa YbbY`gU`  
Ui`hca`U`W`min`a`Yb‡`U`c`Vg`U`Xfi`Y`dfYa YbbY`!`Df]fUXYb]Y`Y`h]Y`f`W`Y`y`Yz`bU`c`\_c`b]Y`Y`bi`h`f`j`U`XbY`cd`fcj`Ub]Y`cXbchz`hch`

nf W`Yb]Y`Yj ýU\_ `a YfUhY bf`Yb`j c`j Y\_ W`Wn`cWždf]dUXbYdf]dfighi dY\_`j Y\_ a `cVY\_hca ` ]`dc`]Ua ``

DfYj c`Ub]Y`cX\_Unc a `Y bi hb f`dfYXbzncj dfYa YbbY^nUFUX] nbU\_`Ua dYfgUbXfl`L"

### DfL\_UX- !&"Jc`Ub]Y`cX\_Unc a

```
1
2 <?php
3 $foo = 'Bob'; // prirad hodnotu 'Bob' do $foo
4 $bar = &$foo; // referencia $foo via $bar.
5 $bar = "My name is $bar"; // zmen $bar...
6 echo $foo; // $foo sa zmenilo tiez
7 echo $bar;
8 ?>
9
```

BYnUVi XbjhYZ ýY`Yb`dca Ybcj Ub f`dfYa Ybbf`a ` yi `Vm`j c`Ub f`cX\_Unc a `G` h`j `UgbY`dfYa YbbfZ`\_hff`a U` a Ybcžb]Y`Yh`bUdf` a UhYa UhW` j` fUh`.

### DfL\_UX- ! "Dca Ybcj Ubz`dfYa Ybbz

```
1
2 <?php
3 $foo = 25;
4 $bar = &$foo; // Platné priradenie.
5 $bar = &(24 * 7); // Chyba; volanie nepomenovanej premennej
6
7 function test() {
8 return 25;
9 }
10
11 $bar = &test(); // Invalid.
12 ?>
13
```

### Preddefinované premenné

D`d`dcg\_nhi `Y`VYj]U]a `g\_f]dl`ca `j Y\_f`a bcyglj c`dfYXXYZ]bcj Ub W`dfYa Ybb W`JYU`n`b]W`j ýU\_`bYa ` ýY`Vm`•d`bY`dcdf]Ubzz`bU\_c \_c` nzj lg]U`cXgYfj YfUZ`bU\_hfcfa `VYj]UZ`cXj Yfn]Y`CG`U`cX]b W`ZU\_hfcfj "B]Y\_hff`n`b]W`b]Y`g` \_`X]gdcn]W]Z`U\_`VYý`D`D`U\_c`7; -`k fUddYfZ` df]dUXbYU\_c`dfc`fUa `gdi gYb `n`dfL\_Uncj f`c`f]UX\_i "DfY`•d`b `ncnbUa `dfYXXYZ]bcj Ub W`dfYa Ybb W`dfcg]`dcnf]H`U`dcý]H`Z`b\_W` `d`d]bZcfL`.

### Platnos premennej

D`U`bcg `dfYa YbbY`nzj lg]cX\_cbhM h`zj `U\_ca `Vc`U`XY]bcj Ubz`"BU`dfL\_UX`

### DfL\_UX- !( "D`U`bcg `dfYa YbbY`

```
1
2 $a = 1;
3 include "b.inc";
4
```

H'a z'dfYa Ybbz `` U'd'Ufbcg 'U^j 'jbW Xej Ubca 'g• VcfYVbWBUDft\_ UXj 'i ýj UHg\_mXYZbcj UbY^Z b\_W'a ' ýY'a U 'dfYa Ybbz 'U^c\_z'bi 'd'Ufbcg 'Y]b]MU]ncj Ubz 'Yb'j 'HYYZ b\_WW'.

### Dft\_ UX- !"; `cVz'bUU`c\_z'bUdfYa Ybbz

```
1
2 $a = 1; /* globálna premenná */
3
4 Function Test () {
5 echo $a; /* referencia na lokalnu premennu */
6 }
7
8 Test ();
9
```

Hmbk'g\_f]dhbYj ndýY'b] žbU\_c\_c ``c\_z'bU'dfYa Ybbz `` U'bYcVgU\i 'Y'b] žbUj nýY'bYVc'U'Ub]'jb]MU]ncj Ubz" H 'Ynbza m'YXYb'fcnX]Y'cdfchj'Um\_i '7ž\_XY[ `cVz'bY'dfYa Ybbf'g• 'Ui hca UhWmidfighi dbf'U^j ``c\_z'bY^Z b\_W]žU\_ 'bYVc ]'dfYdtgUbf`c\_z'bcj 'dfYa Ybbci "J D< D'a i g]U'Vm' [ `cVz'bY'dfYa Ybbf'XY\_Ufcj Ubf'dca cWi 'g'cj U[ `cVU'j 'HYYZ b\_WW'.

### Dft\_ UX- !\* "DfYa Ybbz Imali [ `cVU

```
1
2 $a = 1;
3 $b = 2;
4
5 Function Sum () {
6 global $a, $b;
7
8 $b = $a + $b;
9 }
10
11 Sum ();
12 echo $b;
13
```

G\_f]dhj ndýY''' ""'8Y\_UfzWci `` U'U~V'U\_c [ `cVz'bY'dfYa Ybbf'j 'HYYZ b\_WW'i a cýb]c JW'bUd'bYb]Y'U^bUdf]Y\_ 'hca i žýY'g• 'dci ý]hf'j 'HYYZ b\_WW'5\_ X ^XY\_ JW'na YbYj 'HYYZ b\_W]žhzc'na YbU'Vi XY'd'Uhbz 'U^a ja c 'bY'''8fi \ci 'a cýbcg ci 'dci ý]hfU[ `cVz'bnnW' dfYa Ybb W'Yj ni ý]H'Y'ýdYWž'bY'XYZbcj Ubf\c UgcVUhj bY\c 'dc U^; @C65@G.

### Dft\_ UX- !+ "DfYmali Ub]YbUcV^Y\_h

```

1
2 $a = 1;
3 $b = 2;
4
5 Function Sum () {
6 $GLOBALS["b"] = $GLOBALS["a"] + $GLOBALS["b"];
7 }
8
9 Sum ();
10 echo $b;
11

```

=bcI 'a cýbcg ci 'Ydci ýjhY gHUjWY^dfYa YbbY" GHUjWz dfYa Ybbz 'Y Jhi 'Y Yb j hYYZ b\_WWz'bYghfUhj ýU\_d'Uhbcg žU\_ 'i dfc[ fUa 'cdi ghj .

### Dft\_ UX- !, "BYZ b\_ bz'ghUjWz'dfYa Ybbz

```

1
2 Function Test () {
3 $a = 0;
4 echo $a;
5 $a++;
6 }
7

```

: i b\_WU'YbYZ b\_ bzz'bU\_c \_c j ýXmj nñYb i 'U'bUghj f^~ U'bU'S''G\_\*ghYj ýU\_hc.

### Dft\_ UX- !- 'GHUjWz'dfYa Ybbz

```

1
2 Function Test () {
3 static $a = 0;
4 echo $a;
5 $a++;
6 }
7

```

GHUjWf^dfYa Ybbf^dcb\_U^ 'a cýbcg 'dfzW'g'fY\_i fnjci "'FY\_i fnj bUZ b\_WU'Y'Z b\_WUž\_hcfz j c'z'gUa U'gYU'BUg'YX' ^W'Z b\_WU fY\_i fnj bYdc #UXc %S'UnUghUbY".

### Dft\_ UX- !%"GHUjWf'dc #UXc

```
1
2 Function Test () {
3 static $count = 0;
4
5 $count++;
6 echo $count;
7 if ($count < 10) {
8 Test ();
9 }
10 $count--;
11 }
12
```

### Premenná premenných

B]Y\_Xm'Y'i ý]hc bf'dci ý]U 'U^a Ybc 'dfYa YbbYž'bUdf‡\_UX'df]XnbUa ]WY^]b]WU]nzWJ'dfYa Ybb W''Bcfa z'bU'dfYa Ybbz 'Y'bUd'bYbz 'H\_U\_hc.

#### Df‡\_UX- !%&"DfYa Ybbz 'dfYa YbbY"

```
1
2 $a = "hello";
3
```

DfYa Ybbz 'dfYa YbbY^ncVYf]Y\cXbcl 'dfYa YbbY^UgdfUW/Y'i 'U\_c 'bzncj 'dfYa YbbYžH\_U\_hc.

#### Df‡\_UX- !%&"DfYa Ybbz 'dfYa YbbY"

```
1
2 $$a = "world";
3
```

J 'hca hc 'VcXY'Vc']XYZbcj Ubfxj Y'dfYa Ybbfj 'DxD' UcVgU\i 'Y''\Y`c''UdfYa Ybbz ''\Y`c'cVgU\i 'Y''kcfX'''DfYhc 'df‡\_Uh '

#### Df‡\_UX- !% "DfYa Ybbz 'dfYa YbbY"

```
1
2 echo "$a ${$a}";
3
```

Vi XY'[ YbYfcj U 'fcj bU\_ 'j g'YXc\_ 'U\_c'

#### Df‡\_UX- !% "DfYa Ybbz 'dfYa YbbY"

```
1
2 echo "$a $hello";
3
```

c `nbUa Ybzž yY cVUj nñiyi ` \ Y^c k cf X'

J `dfjdUXyž yY dci yž UH dfYa Ybb• dfYa YbbY^j g•j lg`cgHg`dc ca ž Ybi hb`dUfgYfi i f ] ž c `Y dc YU c `dfYa Ybbz `dfYa YbbY^`DFYdc Y` UQ/Qa i gH YnUXU . o` UQ/Q UYVc o` UqQ/Q ! dcXUhc\cz c `WWH Y`

## 10. HTML formuláre

### HTML Formuláre (GET a POST)

>Unm <HA@cVgU i Y dcXdcf i Zfa i `zfcj ž \_hcf f g•y]UdfYbU #Hj Ub]YXzhcX dci yž UH YU : cfa i `zfj mnYfz U\_c X]Uc[ cj Vcl j c\_bY dfY^]UXU Už a `yY cVgU\cj U `hU #\_UZYX]hcl UWV Vcl mž `ghVcl mž nUy\_fhzj UWV U`dfYd#bUWV hU #\_UU]bf\_ca dc bYbhm`GW]dhng\_ Ub f XzHUn`Zfa i `zfUgdfUWYUj gYXc\_ cXcY`YbUc\_bc `dfY^]UXU U`

J `Unm i <HA@g•y]dfYj `cyYb]Y Zfa i `zfU Xc glfzb\_mhU : **CFA** "Az Xj U`Uhf]V hm~~57HC~~**CB**" "U~~A9H~~**C8**" "5hf]V•h~~57HC~~**CB** i f #I F@ UXfYgi `g\_f]dli ž \_hcf g•y]dfY gdfUWj Ub]YXzhng\_Ub W`nXubf\c Zfa i `zfU" 5hf]V•h~~A9H~~**C8** i f #\_U\_ a `gd` gcVca `Vi X• XzHUn` Zfa i `zfUdfYXubf`gYfj Yfi ž Vi `a YHExci ; ~~OH~~\_lcfz`df]dc #dfYbzYUbf`XzHUn`U F@cXg`i ybf\c `g\_f]dli `UYVc`a YHExci ~~DCCGH~~\_hcfz`nU\_ca dc bi `Y`dfYbzYUbf`XzHUn`c`yYU<HD`Nz\_U`Zfa i `zfUVmia U`XcXfj]Uj U `bUg`YXi ^W`gnbhU .

**O: CFA '57HC**~~B~~**1**I F@g\_f]dli **I A9H**~~C~~**8****1**; ~~9H~~**DCCGH****2**  
`hYc Zfa i `zfU`  
O# CFA2`

J `dfjdUXyž U\_I F@g\_f]dli `bYnUXza Yž gdfUWj zj U`Zfa i `zf`fcj bU\_ `g\_f]dlž c `gU` Uglr j m yž U"5\_`Y`cXcg`Ub`<HA@Zfa i `zfžj yH\_m dfYa Ybbf`n`h\`h`Zfa i `zfU`Y`a cýbf`j m y] `U`dci y] j `DxD`

### Df~~t~~ `UX%\$!%">YXbcXi W` <HA@Zfa i `zf`cXcg`Ub` dca cWi`a YHExci; ~~9H~~**UDCGH**

```
1
2 <form action="skript.php" method="get" enctype="multipart/form-data">
3 <input type="text" name="meno">
4 <input type="submit" name="akcia" value="Odoslat">
5 </form>
6
7 <form action="skript.php" method="post" enctype="multipart/form-data">
8 <input type="text" name="meno">
9 <input type="submit" name="akcia" value="Odoslat">
10 </form>
11
```



CVf''%6! < HA@Zfa i `zf

J c Zfa i `zfcW`Y'a cybf'dci ýj U 'f nbY'YYa Yblnž'bUdf‡ UX 'H9LH5F95ž=BDI H̄G9@97H̄@569@: =9@8G9H̄6I H̄CB''8cdcfi i ^Ya  
dfYydi Xcj U < HA@df#fi \_i 'fk k k 'k' Wcf[ Ł

Dc 'cXcg'Ub‡D‡Dj nj cf‡dfYa Ybb• ^ bUa Yz\_hcfz 'Vi XY'cVgU\cj U 'hcž c'ghY'nUXU]Xc 'dc †\_U A Ybc. j c J Uyc a 'Zfa i `zf"'

### I dncfbYb]Y

Dc D'cXj YfnjY( "&1 "dci ýj U]b 'Imd'cXcj nXzj Ub]YdfYa Ybb W" < cfYi j YXYb 'Imd'Ybi hb]f]a d]MhbYdcj c] j c Vci .  
FYl lgMf; 'cVUg'1 'Cb]j g' VcfY'd\ d]Tb]

J 'bcj Y^j Yfnj]Dc D'Y'bi hb]df]ghi dcj U '\_nig\_Ub a 'dfYa Ybb a 'dca cWi 'UgcVUhj bnW'dc †^ < **HDSDCGH5FG**^ < **HDS; 9HSJ5FG**  
U ^ < **HDSDCGH5:** =@9G

### Df‡ 'UX%\$! &">YXbcXi W < HA@Zfa i `zf'cXcg'Ub 'dca cWi 'a YMdn; 9HUDCGH

```
%%0Zfa 'Um]cb1 "" a Yh cX1 dcgh'YbWndY1 "a i 'hdUfh[Zfa !XHU'2 '
&0HVY'ZUa Y1 Vcl 'fi 'Yg1 bcbY'VcfXYf1 %W'dUXX]b[1 (2 '
"0f20h2 AYbc. "0 #X20h20-BDI HHD91 H9LHB5A91 AYbc "G=N91 ' S20 #X20 #f2 '
"0f20h2 Df]Yrj lg_c '0 #X20h20-BDI HHD91 H9LHB5A91 Df]Yrj lg_c 'G=N91 ' S20 #X20 #f2 '
"0f20h2 '9!a U]. "0 #X20h20-BDI HHD91 H9LHB5A91 9a U] "G=N91 &$20 #X20 #f2 '
"0 #LVY2 '
+
"062 'Gi \ 'Ugla 'g'cXcg'Uh]a 'hc\hc 'Xchnb_U '0 #6206F206F2 '
"%
"O]bdi h]mdY1 Gi Va JhbUa Y1 'Dclj fXYb]Y' j U i Y1 "5bc"2 '
%"O]bdi h]mdY1 Gi Va JhbUa Y1 'Dclj fXYb]Y' j U i Y1 'B]Y"206F2 '
%& O #Zfa 2
```

Ug 'dfY'gdfUWj Ub]Y'dfYa Ybb W'a ' ýYj mnYfU 'bUdf‡ UXHU\_hc.

## Df‡ UX%\$! "GdfUWj Ub]Y^YXbcXi Wf\c Zef a i `zfU

```
1
2 <?php
3 echo $Meno; //povolene Register Globals = on
4 echo $HTTP_POST_VARS["Meno"]; // nove PHP
5 if ($HTTP_POST_VARS["Potvrdenie"]=="Ano")
6 echo "Dakujem za udaje";
7 else
8 echo 'No nic...';
9 ?>
10
```

D< D\Yy\dcXdcfi \Ydc]Uj c Zef a YZef a i `zfcj W'dfYa Ybb W" Df‡ UX\nig Ub]Udc Un'a i HgYYMi .

## Df‡ UX%\$!( "Ai HgYYMi

```
1
2 <form action="array.php" method="post" enctype="multipart/form-data">
3 Memo: <input type="text" name="personal[name]">

4 Email: <input type="text" name="personal[email]">

5 Pivo:

6 <select multiple name="beer[]">
7 <option value="tatran">Tatran
8 <option value="bazant">Zlaty Bazant
9 <option value="krusovice">Krusovice
10 </select>
11 <input type="submit">
12 </form>
13
```

5\_`YnUdbi hz\cbZ[i fU bz\j c VU'D< D\HfUWSj Ufg\ždchra 'Y'a cýbf\_\nig\_Ub a 'dfYa Ybb a 'dca cWi 'a YhOK' DCGH ]; 9Hdf]gh dcj U' U'j [ `cVz\bnW'UgcVUhj bnW'dc]UW^< HHDSDCGHSJ5FGZ^< HHDSDCGHS; 9HJSJ5FGZ^< HHDSDCGHS: =@9G"J 'bcj W\j YfnjzW'Ylzhc' a cýbcg \_j' ]VYndY bcgh'nUdbi hz\ja d\WbY'

## OBRÁZKOVÉ TLA IDLO

Df]cXcg]YUb\Zef a i `zfU'Y'a cýbf'bUa]Yghr\UglWf\c hM h\j f\c hU \hU'dci ý] 'U^cVfzn\_cj f\z bUdf‡ UXj m\ý]h\i .

## Df‡ UX%\$!) "CVfzn\_cj f\hU ]Xc

```
1
2 <form action="" method="post" enctype="multipart/form-data">
3 <input type=image src="image.gif" name="sub">
4 </form>
5
```

## Df]`UX%\$!\*"?ca d'Yb `<HA@Zfa i `zf`gc`gdfUWj Ub]a `g\_f]dHd\ d

```
1 // Register global = on
2 <?php
3 function spracujForm() {
4 global $odosli,$meno,$priezvisko,$heslo;
5 echo "Meno - ".$meno.NL;
6 echo "Priezvisko - ".$priezvisko.NL;
7 echo "Heslo - ".$heslo.NL;
8 echo 'Reload';
9 } //spracujForm
10
11 function showForm() {
12 ?>
13 <html>
14 <head>
15 <title>Zadavanie dat</title>
16 </head>
17 <body>
18 <h1>Zadaj data</h1>
19 <hr>
20 <form action="" method="post">
21 Meno: <input type="text" name="meno">

22 Priezvisko: <input type="text" name="priezvisko">

23 Heslo: <input type="password" name="heslo">

24 <input type="submit" name="odosli" value="Odoslat">
25 </form>
26 </body>
27 </html>
28 <?php
29 }
30
31 define("NL", "
\n");
32 if ($odosli=="Odoslat") spracujForm();
33 else showForm();
34 ?>
35
```

## HTTP sušienky (cookies)

D<D'hfUbgdUyBhbYdcXdcfi 'Y<HHD'gi ý]Yb\_mdcXUXYzbMWj '**ydYWz\_zWjB9HG75D9**"`Gi ý]Yb\_miUYVc '7cc\_JYg`Y'a YWUb]na i g'i f Yb ` dfYi `cýYb]YXzbhUj nX]Uybcia `dfY`]UXU ]'Uh a `cnbU Yb]YU]XYbh]\_zWj` i ý]j UhY cj "Gi ý]Yb\_i `fWc\_JYL`Y'a cybf'bUghU] `Z b\_Wki ` **GYhcc\_JYH**"`Gi ý]Yb\_mig` `Ug ci <HHD` `Uj ] \_nžHU\_ýYj c `Ub]YGYh7cc\_JY'a i gt'bUgU `dfYX`cgc`Ub]a `cW\_ W XzhdfY\ ]UXU i `hch` `cVa YXnYb]Y'd`U`dfY`Z b\_W` <**YUXYH**"`JYh migi ý]Yb\_mig` `Ui hca UhWmi\_cbj Yfhcj Ubf'bU`ncXdcj YXU`W`dfYa Ybbf`D! `dcXcVbY` U\_c `df]`a YhOXUW` ; 9HU`DCGH`

5\_ `WWhY`bUghUj ] j ]UW\cXb' hj ^YXbY^gi ý]Yb\_Y`df]XU\H`'Q\_ `bznj i 'gi ý]Yb\_m`Df‡\_`UX`

### Df‡\_`UX%\$!+"BUghUj Yb]Y\Wc\_JYg`d`Ub\cg ci "%\cX]bU

```
1
2 SetCookie ("MojaCookie[]", "Test", time() + 3600);
3
```

BYnUVi Xb]hYz\_jY\_UjXz`gi ý]Yb\_U`bU\fUX‡dfYXWzXnU•W`g`fcj bU\_ a `bznj ca ždc\_JU`b]Y`Y`na YbYb `dfY\`JUXU`Ub]`Xca `fbU`Df‡\_`UX`dfY`bz\_i db \_cý‡\_ž\_hcf `Vi XY`fYy`dY\_hcj U `fcnX]YbnW`\_`YbIrcj !`cVa YXnYbY`

### Df‡\_`UX%\$!, ""7cc\_JYdfYdcXdcfi \_cý‡\_U

```
1
2 $Count++;
3 SetCookie ("Count", $Count, time() + 3600);
4 SetCookie ("Cart[$Count]", $item, time() + 3600);
5
```

## Premenné prostredia

D\x D\x hca UhWm\x\_cbj Yfi ^Y`dfYa Ybbf`dfcgfYX]U`bU`bcfa z `bY`D\x D\x dfYa Ybbf"

### Df‡\_`UX%\$!- "J\_dlg`dfYa YbbY^<CA9

```
1
2 echo $Home; /* zobrazí nastavenie premennej prostredia Home, ak je nastavená*/
3
```

BU\_c \_c `g\* j ýU\_`bZ`fa zW\ng\_Ubf`dca cWi `gi gý]Ybc\_`UYVc`a YH\QX`; 9HU`DCGH`Ui hca UhWm\x\_cbj Yf\cj Ubf`df]Ua c `bU`dfYa Ybbfž`Y`b]Y`YXm\x ý]h` bf`Y d`W\bfY`dfY \fU`dfYa Ybb`dfcgfYX]U`bUdf‡\_`UX`dca cWi `Z b\_WY` [ YH\bj \fE`dfYa Ybb`dfcgfYX]U`H\Y\x a ` ýYh`Y`bUghUj ] `dca cWi `Z b\_WY` di H\bj \fE`

## Bodka v získaných premenných

D\x D\x V\x m `Y`bYdUfgi ^Y`ng\_Ubf`dfYa Ybbfž`dfYh\x ýY\x ýU\_`VcX\_U`b]Y`Y`dcj c `Yb a `nbU\_ca j `bznj Y`dfYa Ybb W\x D\x D\x Vi XY`[ YbYfcj U`WnV\x žU\_`J\x ýU`dfYa Ybbz`Vi XY\x`bznj Y`cVgU\cj U `VcX\_i "

### Df‡\_`UX%\$!%\$"BYgdfzj bnibzncj `dfYa YbbY"

```
1
2 $varname.ext; /* chybný názov premennej */
3
```

D< D'Ui hca UhWmbU\ fUXtj ýYh\_mVcX\_minbU\_ca `dcXlfyb‡ ``

## Získanie typu premennej

BU\_c \_c D< D'bYdcg\_nhi ^Y\_a YWUb]na i g'\_lW'XYZ]bcj Ubji `df]`VV\ i `dfc[ fUa i ""?cbýhUbhmgUdcj ýj U` fcj bU\_c `U\_c` dfYa Ybbfž]b]WU]ncj Ubf`g` j ýU\_`dcj ýjhia `Z b\_VW'XYZ]b]YHE`Udc]`b]WU]nzW]i ý`bYa ` yi `na Yb] `cXbch`

## 11. Konštanty

D< D'XYZ]bi ^Y\_j ]UW\_cbýhzbhU'dcg\_nhi ^Y\_a YWUb]na i g'\_lW'XYZ]bcj Ubji `df]`VV\ i `dfc[ fUa i ""?cbýhUbhmgUdcj ýj U` fcj bU\_c `U\_c` dfYa Ybbfž]b]WU]ncj Ubf`g` j ýU\_`dcj ýjhia `Z b\_VW'XYZ]b]YHE`Udc]`b]WU]nzW]i ý`bYa ` yi `na Yb] `cXbch`

DfXYZ]bcj Ubf`\_cbýhUbhmg` .

**SS: =@9SS**

Bzncj `g\_f]dhí z\_hcf `^Y\_j `g` Ubegh`gdfUWj zj Ub ``J`df]`dUXYž`yY`Ydcj ýjhf`j `]bW Xcj Ubca `g` VcfYž`Y\_j fzhlbf`a Ybc` `]bW Xcj Ubf`c`g` Vcfi žb]Y`g` Vcfi z\_hcf `]bW Xcj Ub `g` Vcf`nUj c`U`

**SS=@B9SS**

`g`c`f]UX\_i `j`g\_f]dhYž`\_hcf `^Y`dfzj Y`dUfgcj Ub ``

**D< DSJ9FG=CB**

Jfzh` `g`c`j`Yfn]Y`D< Dž`bUdf‡`UX`fl` "&"&fl`

**D< DSCG**

Jfzh`bzncj `cdYfU bf`c`gnghfa i žbU\_hfcfa `D< DVYž`bUdf‡`UX`fl`bi l fl`

**HFI 9**

`cXbchU`hfi Y`

**: 5@G9**

`cXbchU`ZUgY`

**9S9FFCF**

CnbU i `Y`b` `WnVi `bYy`WmVi `df]`dUfgcj Ub‡g\_f]dhí z`b]Y`Y\_a cýbf`nchj`Yb]Y`

**9SK5FB=B;**

CnbU i `Y`ghj`z\_XY`D< D`j`jYž`yY`b]Y c`b]Y`Y\_j`dcf]UX\_i z`UY`dc\_fU i `Y` `UY`j`gdfUWj Ub‡g\_f]dhí `Df‡`UXca `a` ý`Y`Vm`WnVb` fY`l`Y`d`j`fUn`j`c`Z b\_W`YFY`fl`

**9SD5FG9**

DUfgYf`cnbza ]`WnVi `df]`dUfgcj Ub‡g\_f]dhí `Nchj`Yb]Y`Y\_a cýbf`

**9SBCH79**

GhUc`gUb]Y cž` c`a` ý`Y`Vm`WnVci `UbYa i g` `GdfUWj Ub]Y`g\_f]dhí `dc\_fU i `Y`U` `UY`

?cbýhUbhmgS` `g` `dcj ýj` Ubf`j`c`Z b\_W`Yf`cf`Sf`Ydcf`H`b`fl`dfY`XYZ]bcj Ub]Y`fcj bY`W`V`A` ý`Y`H`Y`XYZ]bcj U`U` `b`f`\_cbýhUbhmgdcj ýjhia` Z b\_VW'XYZ]b]YHE`B`YnU`V`Xb]hYž`yY`cbýhUbhmg]Y`g` `7!`\_cj`f`a`U`fzž`]V`d`U`b`g`Uz`f`a` ý`Y`Vm`\_cbýhUbh`c`i`

## Df<sub>ł</sub> UX%&%'8Y[Zbcj Ub]Y\_cbyHbhm

```
1
2 <?php
3 define("CONSTANT", "Ahoj svet.");
4 echo CONSTANT; // vypise "Ahoj svet."
5 ?>
6
```

## Df<sub>ł</sub> UX%&%'Dci ý]HYSS: =@9SS USS@=B9SS

```
1
2 <?php
3 function reportError($file, $line, $message) {
4 echo "Nastala chyba v skripte $file na riadku $line: $message.";
5 }
6
7 reportError(__FILE__, __LINE__, "Nieco sa stalo!");
8 ?>
9
```

## 12. Výrazy

J fUnnig• nz\_ UXb a 'gHj YVb a \_ Ua Y ca 'D< D' J 'D< D' Y a cýbf' g\_cfc j ýYh\_c 'nUdgU 'U\_c j fUn" BU^U\ý‡a 'gd' gcVca žU\_c 'XY[Zbcj U' j fUn" Y"j ýYh\_c' c'a z'\cXbcli "

BU^ UghY'yci 'Zfa ci j fUncj 'g• '\_cbýHbhmUdfYa Ybbf" 5\_ 'bUdýYhY''' U1 ) "ždf]fUXH\cXbcli 'fj fiXc dfYa YbbY''' U" fí fí a z'cVj m\_ Y' \cXbcli ) žUYVc 'jb a ]g`cj Ua ]fí fi'Yj fUn'g'\cXbcli ) 'fj 'he a hc df]fUXY"Y fí fiWc 'gYbz '\_cbýHbhlE"

Dc 'he a hc df]fUXYfí a 'ýYa Yc U\_zj UžýY'dfYa Ybbz''' UVi XY'a U 'HÝ\cXbcli ) žHU\_ýYU\_ 'bUdýYa Y''' V1''' UžVi XY'hc' a U 'fcj bU\_ • ]bc\_ U\_c 'Vmiga YbUdgU]' V1 ) "'=b a ]g`cj Ua jž''' U'Yj fUn'g'\cXbcli ) ''

Ncý]HY'Y]Y df<sub>ł</sub> UXnij fUncj 'g• **Z b\_WW**

## Df<sub>ł</sub> UX%&%'>YXbcXi Wz Z b\_WWj fWW• W)

```
1
2 function foo () {
3 return 5;
4 }
5
```

DfYXdc\_ UXza žýY'i ý'fcni a ]MÝ'df]bWdi 'Z b\_WW' 5\_ 'b]Yz dcnf]H'g' dfcg]a '\_Ud]hc i j Ybcj Ub' 'Z b\_W]a "'5\_ 'bUdýYhY'' **W** **Zccfl** 'Yhc' fcj bU\_f'U\_cVmighY'bUdgU]' **W** ) "'i b\_WW'g' 'HÝXUj fUna ]g'\cXbcli 'JW'bzj fUrcj Y''\cXbchm'?'Y ýY' 'Zccflj fUWU) ž'\cXbchUj fUni 'fZccflfi'Y) "'CVj m\_ Y'Z b\_WW'bUa ]Yghc 'gHjWf\c j fUni j fWW• j nclc Hb' 'cXbcli "

D< D'bYdcXdcfj "Y" Yb "Wc "gYbf"\cXbcInz"UY"U"Jbf"hdmg\_Uzfcj ! 'bYWc "gYbf"UfY UhW" G\_Uzf"Y"\cXbcHbz\_hcfz i ý'bYa ' ýYVm' fcnXYYbf'bU'a YbýJY UghžbUdf‡\_UXU\_c'dc"Y"hc "nbUa YbzžyYdc"Yb]Y"Yg\_Uzf" D< D'hYy'dcXdcfj "Y"Xj U\_ca dcnJbf"hdnz\_hcff'b]Yg" g\_Uzfa ]! 'cVY\_lmUdc]U"

I ýlj UhY]UgHfýW j Yfn]‡D< D# = &#D< D "gU'bYa i g]UcVzj U "D< D'gdfUWj zj Uj fUnmfcj bU\_c 'U\_c 'Jbf"Um\_m" D< D'Yj fUncj c' cf]Ybfcj Ub "Um\_z c 'nbUa YbzžyYg\_cfcj ýYh\_c 'Yj fUn"BUdf‡\_UXb]Y c 'U\_c 'fi V1 'ff' U1 ) hfiYj UghbYg\_fzhMbz 'Zfa Ufi U1 ) /" V1 ) /fifMcX\_c JUf\_UnbUa Ybz \_cb]Wdf‡\_Uni E"bU\_c \_c j fUnmig• 'gdfUWj zj Ubf'gdfUj UXc Uj Uz a ' ýYa YhYy'bUdfgU . 'fi V1 " U1 ) fl

=b 'XcVf "df‡\_UXbU'dci ýjhYj fUncj "Y]b\_fYa YbhzWUUXY\_fYa YbhzWU" Dcnbza YdfYUdcghj Yfnji 'h Whc'cdYfzW" >YXjb 'fcnXY"Yj dcfUXzj 'U\_ca 'X 'XY\_ 'dfYXUbji '\cXbcInUnj ýYbji nbýYbji 'dfig'i ýbY"dfYa YbbY"

Uýta 'nbza na 'hdca j fUncj "Y'dfcfj bzj Ub]Yj fUncj "H]Yrc"j fUnmj fUW" >Vi 'S'UYVc "%" c 'nbU #: 5@G9 '#bYdfUj XU#UYVc 'HFI 9' #dfUj XU#nL" D< D'dcXdcfj "Y"2 'ff' } ýt'bYyLž21 'ff' } ýt'UYVc 'fcj b Lž11 'ffcj b Lž1 'fbYfcj b Lž0 'fa YbýL'UbXO1 'fa Ybýt'UYVc 'fcj b L" H]Yrc "j fUnmigU'bU UghYyYdci ýj U" j 'dcXa ]Yb\_UWž'bUdf‡\_UXdf]j Yj Yb]dfc[ fUa i "

Uýta 'hdca j fUncj "Y"YfbzfbmcYfzhef .

## Df‡\_UX%& &"HfbzfbmcYfzhef

```
1
2 $first ? $second : $third
3
```

5\_ "Y"\cXbcHUdfj f\c j fUni 'bYbi 'cj z "#dfUj XU! hfi Y#z"Yj m\cXbcHb 'Xfi \ j fUrž]bU\_ "Yj m\cXbcHb " j fUn".

## Df‡\_UX%& "J fUnm

```
1
2 function double($i) {
3 return $i*2;
4 }
5 $b = $a = 5; /* priradi hodnotu 5 do premennych $a a $b */
6 $c = $a++; /* post-inkrement, priradi povodnu hodnotu $a
7 (5) do $c */
8 $e = $d = ++$b; /* pre-inkrement, priradi zvysenu hodnotu
9 $b (6) do $d a $e */
10
11 /* v tomto bode su $d a $e rovname a maju hodnotu 6 */
12
13 $f = double($d++); /* priradi dvakrat hodnotu $d pred zvysenim,
14 2*6 = 12 do $f */
15 $g = double(++$e); /* priradi dva krat hodnotu $e po zvyseni
16 2*7 = 14 do $g */
17 $h = $g += 10; /* najprv je $g zvysene na 10 a skonci s hodnotou 24.
18 potom je tato hodnota priradena do
19 premennej $h, a $h skonci tiez s hodnotou
20 24. */
21
```

## 13. Operátory

### Aritmetické operátory

D<sup>U</sup>a } hz hY' gU' Yy hY' bU' nz\_ ' UXmnc ' y\_c ` n8'

#### HVi \_U% !%"5f]ha YhWf'cdYfz]cfm

Df <sup>t</sup> UX	bzncj	j gYXc_
^ UZ `` V	G #Lb]Y	g• Yh`` UU`` V"
^ U! `` V	CX #Lb]Y	fcnX]Y`` UU`` V"
^ U! `` V	BzgcVYb]Y	g• lb`` UU`` V"
^ U# `` V	8YYb]Y	dcX]Y`` UU`` V"
^ U1 `` V	AcXi ` c	nj nyc_ `` Udf]XYYb‡ `` V"

### Operátory priradenia

Nz\_ UXb ` cdYfz]cf` df]fUXYb]U`Y`nbU\_ `` 1 `` J zY` dfj ` Xc`Ya ` a ` yY`Vmž`yY`hc`nbUa Ybz`fcj bz`gU`B]Y`NbUa Ybz`hcž`df]fU ` \cXbch` j` fUni ` bU`df]Y`Y`ghfUbY`j` fUni ` bU` U`Y`ghfUbY`

#### Df<sup>t</sup> `UX% !&"Df]fUXYb]Y

```
1
2 $a = ($b = 4) + 5; // $a je teraz rovné 9, $b je nastavené na 4.
3
```

C\_fYa ` nz\_ UXb]f`c`cdYfz]cfU`df]fUXYb]U`Y`l`ggi ` hYy` `` ca V]bcj Ub]f`cdYfz]cfm` dfY`j`yYh\_mV]bzfbY`Uf]ha YhWf`cdYfz]WY`U`cdYfz]WY`g` fY`UhWa`j`

#### Df<sup>t</sup> `UX% !! "%5f]ha YhWf'cdYfz]cfm

```
1
2 $a = 3;
3 $a += 5; // nastaví $a na 8, tak ako keby sme povedali: $a = $a + 5;
4 $b = "Ahoj";
5 $b .= "svet!"; // nastaví $b na "Ahoj svet!", rovnako ako $b = $b . "svet!";
6
```

D<sup>d</sup>cXdcfi `Y`i`y`U`cX`Uhj`c`Ub]a`z`bUdf<sup>t</sup> UXHU`hc `` dfYa YbbU1 ` `` ]bUdfYa YbbU`FYZYfYb]U`cX`Unca`nbUa Ybzž`yY`cV]X`Y` dfYa Ybbf`ga Yfi ` bU`fcj bU\_ `dUa`} cj `Vc`z`XzHU`a`YXn`b]a`]b]Y`g` `cd]fcj Ub]f]`]XY`j`Ug]bY`c`Xj`U`dc]b]fY`z`\_h]ff`ga`Yfi ` bU`fcj bU\_f` a`]Yg]c`U`h`a`dzXca`a`U`U`fcj bU\_ `` \cXbch` "Na`Ybc` `` cXbchm`YXbf`c`U`h`a`UhWmina`Yb]a`Y`cXbch`Xfi`f\c`"

### Logické a bitové operátory

I a cýbi ^• `nUdb• `ýdYVWJW `Vjhj `BH; 9F]"

### **HMi \_U% !( @"@cl MWfcdYfzlcfm**

Df‡_UX	bzncj	j g`YXc_
^ U/ `` V	5bX	6]hmfcj bU_fj `` UU`` Vg• `bUghUj Ybf
^ Up`` V	Cf	6]hmi_hcfjg• `bUghUj Ybfj `` UUYVc `` Vg• `bUghUj Ybf"
^ UR `` V	Lcf	6]hmi_hcfjg• `bUghUj Ybfj `` UUYVc `` VUYbjYg• `fcj bU_f"
r `` U	Bch	6]hmi_hcfjg• `bUghUj Ybfj `` UbjYg• `bUghUj Ybf
^ UOO `` V	dcgi b_j Uj c	dcgi b]YV]hmiXc Uj U†††
^ U22 `` V	dcgi b_j dfUj c	dcgi b]YV]hmiXcdfUj U†††

### **Porovnávacie operátory**

I a cýbi ^• `dcfcj bU `Xj Y\cXbclm

### **HMi \_U% !) "Dcfcj bzj UWYcdYfzlcfm**

Df‡_UX	bzncj	j g`YXc_
^ U11 `` V	fcj bf	Hfi YU_ `Y`` Ufcj bf`` V"
^ U111 `` V	JXYbhWf	Hfi YU_ `Y`` Ufcj bf`U_c `` VzUg• `fcj bU_f\c `hndi "ffYb_j `DxD(L
^ U*1 `` V	bYfcj bf	Hfi YU_ `b]Y`Y`` Ufcj bf`` V"
^ UO `` V	a Ybý]Y	Hfi YU_ `Y`` Ua Ybý]YbYy`` V"
^ U2 `` V	j } ý]Y	Hfi YU_ `Y`` Uj } ý]YbYy`` V"
^ U01 `` V	a Ybý]YUYVc fcj bf	Hfi YU_ `Y`` Ua Ybý]YUYVc fcj bf`bYy`` V"
^ U21 `` V	j } ý]YUYVc fcj bf	Hfi YU_ `Y`` Uj } ý]YUYVc fcj bf`bYy`` V"

=b `dcfcj bzj UWYcdYfzlcfm`Y"3 `` fUYVc hYfbzfbnLcdYfzlcfm`\_hcf `dfUW`Yfcj bU\_c U\_c j `Umli 7`

### **Df‡\_UX% !\* "HfbzfbmcdYfzlcf**

```

1
2 (vyraz1) ? (vyraz2) : (vyraz3);
3

```

Hybhc`cdYfzlcfj m\_cbz`expr2`U\_`expr1`Y`hfi Yz]bU\_`j m\_cbz`expr3"

### **Operátory kontroly chýb**

DxD`dcXdcfi `Y`YXjb `HU\_`h`cdYfzlcf`cdYfzlcf`f4 L"5\_`Yj `cÝYb `dfYXj `fUhj `DxD\cWf`WnVcj f\`zgYfbjY[ YbYfcj Ubf`h a h`  
j `fUhca `Vi XY][ bcfcj Ubf"

5\_`YnUdbi hf`g`YXej UbjYSW Vzj ýYh\_mWnVcj f\`zgYb]UVi X\* i `cÝYbf`Xc `dfYa YbbY`` d\dsYffcfaf gI ""

## Df<sub>L</sub> UX% !+"Dfcfj bzj UWYcdYfzlcfm

```
1
2 <?php
3 /* vnútorná SQL chyba (extra apostrof): */
4 $res = @mysql_query("select name, code from 'namelist' ") or
5 die("Dopyt zlyhal - chyba je '$php_errormsg'");
6 ?>
7
```

## Vykonávacie operátory

D<sub>L</sub>dcXdcfi "Yj m<sub>L</sub>cbzj UWYcdYfzlcfnifITL" D<sub>L</sub>gUdc\_•g]gdi g] df<sub>L</sub>Un'i j YXYb "j "h Whc cdYfzlcfcW U\_c df<sub>L</sub>Un'G<9@Q"

## Df<sub>L</sub> UX% !, "Jmcbzj UWYcdYfzlcfc

```
1
2 $output = `ls -al`;
3 echo "<pre>$output</pre>";
4
```

## Inkrementa né/dekrementa né operátory

D<sub>L</sub>dcXdcfi "YgnbhU "Um<sub>L</sub>U"dfY]b\_fYa YbhU bf'U'XY\_fYa YbhU bf"cdYfzlcfn"

## HMi \_U% !- "=fYa YbhU bf#XY\_fYa YbhU bf"cdYfzlcfm

Df <sub>L</sub> UX	bzncj	YZY_h
Z Z^U	DfY! ]b_fYa Ybh	nj ý]^~ Uc "YXYb'Uj fzH]^~ U"
^Užž	DcgH ]b_fYa Ybh	j fzH]^~ Už'dchca 'nj ý]^~ Uc "YXYb
!!^U	DfY! XY_fYa Ybh	nbý]^~ Uc "YXYbž'dchca 'j fzH]^~ U"
^U!	DcgH XY_fYa Ybh	j fzH]^~ Už'dchca 'nbý]^~ Uc "YXYb"

BYU\_ "i ý]hc b "df<sub>L</sub> UXbU'dfY] Yb]Y"

## Df<sub>L</sub> UX% !%\$"=b\_fYa YbhzV]U'XY\_fYa YbhzV]U

```

1
2 <?php
3 echo "<h3>Postinkrement</h3>" ;
4 $a = 5;
5 echo "Má by 5: " . $a++ . "
\n";
6 echo "Má by 6: " . $a . "
\n";
7
8 echo "<h3>Preinkrement</h3>" ;
9 $a = 5;
10 echo "Má by 6: " . ++$a . "
\n";
11 echo "Má by 6: " . $a . "
\n";
12
13 echo "<h3>Postdekrement</h3>" ;
14 $a = 5;
15 echo "Má by 5: " . $a-- . "
\n";
16 echo "Má by 4: " . $a . "
\n";
17
18 echo "<h3>Predekrement</h3>" ;
19 $a = 5;
20 echo "Má by 4: " . --$a . "
\n";
21 echo "Má by 4: " . $a . "
\n";
22 ?>
23

```

## Logické operátory

### **Hví \_U% !%&%@c[ JWjfcdYfzlcfm**

Df‡_UX	bzncj	j g`YXc_
~ UUbX~ V	5bX	Hfi YU_ ~ UU^~ Vg• `hfi Y"
~ Ucf~ V	Cf	Hfi YU_ ^YXYb`n~ UUYVc~ Vg• `hfi Y"
~ Ul cf~ V	Cf	Hfi YU_ ^YXYb`n~ UUYVc~ Vg• `hfi YZUYb]Y`cV]X] U
~~ U	Bch	Hfi YU_ ~ Ub]Y`Y`hfi Y"
~ U// ~ V	5bX	Hfi YU_ ~ UU^~ Vg• `hfi Y"
~ Upp~ V	Cf	Hfi YU_ ^YXYb`n~ UUYVc~ Vg• `hfi Y"

Df‡ ]bUž ýY`Yl lgli ~ f nbY`cdYfzlcfmfdfY~"UbX`U"cf~`Y`Y`dfUW~`g`f` nbci `df]cf]hci " fDcnf] [Df\]cf\]H`cdYfzlcfcj](#) "L

## Priorita operátorov

Df]cf]H`cdYfzlcfcj `XY]bi `Y]j `U\_ca `dcfUX`gUVi X•`j c`j` fUnY`j m`cXbcWj U " `BUdf‡\_UXj` fUn` 1 + 5 \* 3ž`Yj` g`YXc\_`%` bUa`JYghc`%` ` dfYtçy`cdYfzV]U`bzgcVYb]Y`ff` `L`a z`j myýli `df]cf]h`U\_c`cdYfzV]Ug` #Ub]Y`ff`Z`L`

BUg`Yi ~ W`Hví \_Ui Xzj U`df]cf]h`cdYfzlcfcj`cX`bU`j myýY`dc`bU`b]jyýli "

### **Hví \_U% !%&%@Df]cf]H`cdYfzlcfcj**

GdfUWj UbjY	CdYfzlcfc
nUj U	ž
nUj U	cf
nUj U	l cf
nUj U	UbX
gdfUj U	df]bh
nUj U	1 ·Ž 1 ·!1 ·!1 ·#1 ·"1 ·! 1 ·! 1 ·pl ·R1 ·r 1 ·001 ·221
nUj U	3·
nUj U	pp
nUj U	//
nUj U	p
nUj U	R
nUj U	/
bYUgcVUbj bU	1 1 ·°1 ·!1 1
bYUgcVUbj bU	0 ·01 ·2 ·21
nUj U	00 ·22
nUj U	Ž ·! ·"
nUj U	! ·#1
gdfUj U	·r ·Ž Ž ·!! ·fl bL·flXci V·Y·flgf]b[ L·flUffUhL·flV·Y·M·4
gdfUj U	O
bYUgcVUbj bU	bYk

### Reazcové operátory

9l ]ghí ~ ·Xj UfY UhWj f`cdYfzlcfn!`Dj a ·Y`gdc`cj UW`cdYfzlcfc`ffffž\_`fc` j fzH`gdc`Yb]Y`dfUj f`c`U`Uj f`c`Uf[ i a Ybli ·8fi \z a ·Y` cdYfzlcfc`gdc`cj UW`Y`c`df]fUXy]U`ffff1 fl" `DfY`j ]UW]bZfa zWfg`dfY flU`Y`Df]fUXcj UW`cdYfzlcfn!

### Df` `UX% !% "Gdz`UbjY`fY`UhWj

```

1
2 $a = "Ahoj ";
3 $b = $a . "svet!"; // teraz $b obsahuje "Ahoj svet!"
4
5 $a = "Ahoj ";
6 $a .= "svet!"; // teraz $a obsahuje "Ahoj svet!"
7

```

JýYh\_mig\_f]dhnD< D'lj cf]U'gff]Y'df‡\_Uncj "Df‡\_Unca 'a ' ýYVm'df]fUXYb]Yzj fUhžj c'Ub]Y'Z b\_WWž\_Wh i g'UYVc'dcXa ]MbYb 'df‡\_Unž df‡dUXbYU^dfznXbm df‡\_Un" Df‡\_UnmigUcVj m\_Y\_cb ]UVcX\_c ]Uf\_ci "Df‡\_Unmia ' yi 'Vm'nXfi ýYbf'Xc'Vc\_cj 'df‡\_Uncj ž\_hcff'g•'c\fUb] Ybf'n'cýYb a ]nzlj cf\_Ua ]'o'q"'

F]UX]UW'df‡\_Unmlj cf]U`c[ \_i 'dfc[ fUa i 'UYVc'g\_f]dh "DcXU•fcj bY'rzdgj 'Y'a cýbf'i g•X] žU\_ 'j ngeY 'Vc`dfc[ fUa zlcfž\_hcf 'XUb•'Ud'\_zWj 'j nlj zfU" DfYlc 'Yj 'cXbf'XcXfycj U 'dzf'rz\_ UXb W'dfUj ]X]Y'df]lj cfVY'dfc[ fUa cj "H]Yrc'dfUj ]Xz nj m\_bYa 'bUh j U 'U"""

### Štábna kultúra:

H\_hc'\_Ud]hc i 'gca 'gYa 'nUfUX] 'gWj z'bYž'bU\_c\_c'g]hc 'ý]UXU'gjh zVU'Nc j ýYcVYb W'g\_•gYbcgh'Ynbza Yž'ýYbU'a Y'cXdcf• Ub]U'h \_U^W'gU•dfUj mi dfc[ fUa cj j n]c'zj U' bYWi 'U'cXdcf" 'Dc\_]U j ýU\_ 'WWa Y'digU j } ýY'dfc[ fUa mž'Ybi hb'f'nUj ]Yg 'bY'U\_ 'def]UXc\_ 'U'U\_ i ý'bYU\_ 'nUj ]Yg žHU\_ 'Y' nVnkc' bf'j na 'ýU 'i ýj na ng'Ybf' HU\_a Yf'nU\_ UýX a 'cXdcfi 'Yb'a 'g\_•gla 'i j ]Yg 'U^df‡\_UX"

... CXgUni 'hYc '&a YXnYfmi\_UýX 'c[ ]W '•gY\_ 'dfc[ fUa i '

### Df‡\_UX% !%"CXgUXncj Ub]Yc '&a YXnYfm

```
1
2 if ($a == $b) {
3 //vetva cislo 1
4 echo "A je rovne B";
5 } //end vetva 1
6 else {
7 //vetva 2
8 echo "A je ine ako B";
9 } //endif
```

... BYnUV• XU'hYj \_ UXU 'dfznXbYf]UX\_nž\_n'Ydyi ^ ' J]UHb'bcg 'dfc[ fUa i '

... I bzfbY'cdYfzfcfmbYcXXY i 'hYcX'cdYfUbXi 'a YXnYfci ''

### Df‡\_UX% !&"I bzfbY'cdYfzfcfm

```
1
2 $i++;
3 $j = $i -- //zle!!!
4
```

... Uj z 'n'cýYbz'nzlj cf\_UcnbU i ^ W'Vc\_ 'Yj ýXmj 'f]UX\_i 'gUa U'DcXeVbY'U'i\_cb i ^ W'n'cýYbz'nzlj cf\_U' i j cXbz'nzlj cf\_Ua ' ýYVm'gdc'i 'g]Z
**YgYzzfcfk \]Yzgk JHWžfYli fb'fdenf]df‡\_UX%(!%**

... ?UjX 'j fUh'ftdf]fUXYb]YLbU'gUa cgfUh'f]UXc\_ 'J b]a \_i 'lj cf]U'df‡\_Unmig'Hygbci 'g'j lg'cg ci ''

### Df‡\_UX% !!"Hggbz'g•j lg'cg

```
1
2 $x = GetPositionX; $y = GetPositionY;
3
```

...A Ybz 'cV'Y\_hcj ždfYa Ybb W' ]'Z bWf džhY\_nzgUXbY\_a U\_a ]'diga YbUa ]'fdflđUXbY\_dfj f'j Y\_f ŋ'lc 'Y\_a c'UcXW \_UcXbcfa nžVi XYa 'gU' UY' gbjyj L'J ní ýj UH'dcXf\cj bđ "BYdcj ýj UH'dcXcVbf ]XYbhZ\_zlcfmiU]XYbhZ\_zlcfmiXýYbf 'Yb'j Y\_cg ci 'diga Ufnglhž ggnž'A Ybcža YbcL'

...A Ybz 'cV'Y\_hcj 'a i glU'a U\_j nbUa žbUdf" **a** **Ybc** 'Ub]Y\_a %'5\_ 'gU\_i 'dfc[ fUa i 'bYg' f'j fzjhYž bYa i gH'YnUV" S'a jb• hXi a Ubđa ž c' dfYa Ybbz' **I%** **Z** j' UghbY\_nbUa Ybz" BY\cj cfđa 'i ý'c' dfđUXb W'gdc i dfUWj bđ cWž\_hcfđa U^' Wi' j fUyX] 'df]' 'ýhYbđ Jzý'c' ýdU] Yhcj f\c '\_Oxi"'

...H cfhY\_a Ybz' fUWcbz'bYž\_dcXU'i f' Jhf'c' dfYXd]gi ž'bUdf.

## J]Yk SZ'YZdf]bIsZ'YZ; YISMei fSBUa YH"

...j ní ýj UH'hj "dfYZl mibUdf' 7' ŋ'WUggZC ŋ'cV'YmU ŋ'Uf]V' h'HE' hndžF ŋ'fYwfx: !dc'YZ'D! dc]bhYf

6YybY'dci ýj' Ubf'j nbUa cj f' ]XYbhZ\_zlcfmi

]Zž\_ .....! .....jbXYl nž'dUfUa YhY'Wñ i'

VW .....! .....nbU\_mi

a žb .....! .....jhU Y

Zf .....! .....fYz'bY' tgU

d .....! .....dc]bhYf'

g .....! .....fY UhYW

...BYnUV' XUH' bU\_ca YblzfY"

### if

Dfđ Un'if' 'Y' 'YXYb' n'bU'X' 'Yj' h'Y' y'W' dfđ Un'cj' j' y'Yh' W' dfc[ fUa cj UW'Uhm\_cj' žj' fzjhbY'D' D'I a cybi' 'Yj' m'cbzj U' 'gY'\_Oxi' j' nzj lg'cgh'cX'gd'bYb]U' dcXa ]Yb\_m'GnbHl' 'Yfcj bU\_z'U\_c' j' 'Unm\_i' '7"

### Dfđ 'UX% !( "ülfí \_h fUdfđ Uri' ]Z

```
1
2 if (výraz1)
3 príkaz1
4
```

5\_ 'Yj' fUn'j' fUh%j m'cbchYb' U\_c' dfUj Xj' fHFI 9L'D< Dj m'cbz' dfđ Un' dfđ Un%'5\_ 'Yj' fUn'j' m'cbchYb' U\_c' bYdfUj Xj' ft 5@G9EzD< D'Vi XY' dfđ Un%' j' bcfcj U' !' dfYg\_c' t'c'"

BUg'YXi ~ Wdfđ Un'j' ndžYU'Yj' }' ýjYU\_c' VU\_ 'Y' dfYa Ybbz' Uj' }' ýjU'U\_c' dfYa Ybbz' V'

### Dfđ 'UX% !) ">YXbcXi W' ]Z

```
1
2 if ($a > $b)
3 print "a je väšie ako b";
4
```

J`dfidUXYž'ýY'WWhY'j `nzj lg`cgh`cXgd'bYb]UdcXa ]Yb\_mj m\_cbU `b]YYb`YXYbž'UY'j ]UWdf‡\_Uncj ž'i nUj f]hY'JW'Xc `df‡\_Uncj f\c 'Vc\_i .

### Df‡\_UX% !\* "=ZgVc\_ca

```
1
2 if ($a > $b) {
3 print "a je väšie ako b";
4 $b = $a;
5 }
6
```

Df‡\_Un`]Za ' ýYVm`U^g• Ug ci `]bf\c`]Zi "

**else**

UghY'y]Y`gUj ýU\_`glfYlzzj Ua Ygc`gjh zVci 'U\_`df]gd'bYb‡dcXa ]Yb\_mdcfYVi `Ya Yj m\_cbU ` ]bbcgg`5`Udf]bYgd'bYb‡ ]bbcgg`6`'BUhr`g`•ý]j VcfbY` df‡\_Un`**YgY`6`c\_`nUYgYgUj m\_cbz`j hYXmzU\_`dcXa ]Yb\_Uj `dfj Y` Ugh`df‡\_Uni '#Z#b]Y`Y`gd'bYbz`fl 5@G9L`"**

### Df‡\_UX% !+"]ZYgY

```
1
2 if ($a > $b) {
3 print "a je vacsie ako b";
4 } else {
5 print "a je mensie alebo rovne b";
6 }
7
```

**elseif**

Hžhc`cbýlfí \_WUcd} `fcnylfí `Y`a cýbcgh`df‡\_Uni `]Z`Df‡\_Uh`i j YXYb `nU`**YgY`ZgUj m\_cbzz`U\_`b]Y`Y`gd'bYbz`dcXa ]Yb\_U`dfY`]Z`U`nzfcj Y` `Y`gd'bYbz` dcXa ]Yb\_U`nU`**YgY`Z` Ug`**YgY`Za ' ýYa Y`dci ý] `U`j ]UWfzh`Df‡\_Uh`**YgY`gUj m\_cbz`Yb`j hYXmzU\_`b]Y`Y`gd'bYbz`ý]UXbU`dcXa ]Yb\_U`**YgY`Z**********

A` ýYa Y`dci ý] U `U`n`cýYbf`df‡\_Uh`n`j i ý`dca cWi `n`cýYb W`n`l`j cf]Y\_`U`YVc`Xj c`VcX\_mi`U`df‡\_Uni `YbX]Z

### Df‡\_UX% !, "=ZYgY|ZYgY

```

1
2 if ($a > $b) {
3 print "a je vacsie ako b";
4 } elseif ($a == $b) {
5 print "a je rovneb";
6 } else {
7 print "a je mensie ako b";
8 }
9

```

### Alternatívna syntax pre riadiace príkazy

D< Ddc&\_U'UHfbUhj bi 'gnbHU 'dfYf]UX]UW df‡\_UmnU\_c 'ifžwhiležforžU'switch"'J 'nz\_`UXY'Yhc'rza YbU•j cXbY^n'cýYbY^nzlj cf\_mio'nU'Xj c\cX\_i 'fifiU\_cBwj Y^n'cýYbY^nzlj cf\_miq'nU'endif;žendwhile;žendfor;žUYVc'endswitch;ž'!dcXUhc\cžU• \_cbýfi \_Wl 'dci ýj UH"5'UHfbUhj bUgnbHU 'Yj D< D'Yb'n'\glcf]W W'X j cXcj žj 'Vi X•Vbcgj'bYVi XY' UY^dcXdcfcj Ubz"

### Df‡\_UX% !- "5\_HfbUhj bUgnbHU ? Vc\_

```

1
2 <?php if ($a == 5): ?>
3 A je rovné 5-tim
4 <?php endif; ?>
5

```

J 'dfYXcýca 'df‡\_UXYž<HA@Vc\_ "5'1 ') ""'Yj 'cýYb 'j c j b•hf]df‡\_Uni 'if 'bUdgUbf\c j 'UHfbUhj bY^gnbHU ]"''<HA@Vc\_ 'Vi XY'j mdigUb 'Yb'j 'df‡dUXYž'ýY' UgfUfcj bz ' tgí )'"'

DcXcVbY'Yhc'U'df]dci ýjHgYU'YgY]Z'

### Df‡\_UX% !%"5\_HfbUhj bUgnbHU ]Z YgY]Z YgY

```

1
2 if ($a == 5):
3 print "a je rovné 5";
4 print "...";
5 elseif ($a == 6):
6 print "a je rovné 6";
7 print "!!!";
8 else:
9 print "a nie je ani 5 ani 6";
10 endif;
11

```

### k\]Y

while 'Y'bU^YXbcXi WýfWh i g'j 'D< D'Gdfzj UgfUfcj bU\_c 'U\_c 'k\]Yj 'Umni '7'"'

## Df<sub>č</sub> UX% !%&"GnbHl 'df<sub>č</sub> Uni 'k\]Y

```
1
2 while (výraz) príkaz
3
```

Hmblc 'jhYfU b 'df<sub>č</sub> Un'hygh 'YdcXa ]Yb\_mWh i 'YjhY dfYX dfYWcXca 'Wh i ž c 'nbUa Ybz 'yYWh i g'bYa i g'dfYVY\ b• 'Ub]fUn" Df<sub>č</sub> Un'k\]Ydci yj Ua Yz U\_nzj lg*t*i\_cb cj UMUdcXa ]Yb\_UbUbYU\_ca 'df<sub>č</sub> UnYj 'hyYWh i "NUXUb 'Wh i g'gUhyXU dfYj zXnU 'Yb j hyXnžU\_ 'Ygd'bYbz dcXa ]Yb\_UbUnU ]Uh\_i ž dfYh'gUa i 'U^'cj cf<sub>č</sub> Wh i g'gdcXa ]Yb\_ci 'bUnU ]Uh\_i".

Df]hca h 'df<sub>č</sub> UnY'a ' yYa Ydci y] 'U^'UhyfbUh bi 'gnbHl .

## Df<sub>č</sub> UX% !%&"5'hyfbUh bi'gnbHl 'df<sub>č</sub> Uni 'k\]Y

```
1
2 while (expr): statement ... endwhile;
3
```

J dlg' tgY'cX%Xc '%S. .

## Df<sub>č</sub> UX% !% "7m i g'g'dcXa ]Yb\_ci 'bUnU ]Uh\_i .

```
1
2 /* Príklad 1 */
3
4 $i = 1;
5 while ($i <= 10) {
6 print $i++; /* vypis cisla $i
7 pred jeho inkrementaciou, tzv.
8 post-inkrementacia */
9 }
10
11 /* Príklad 2 */
12
13 $i = 1;
14 while ($i <= 10):
15 print $i;
16 $i++;
17 endwhile;
18
```

### do..while

Hmblc 'df<sub>č</sub> Un'YY\_j jj UYbhIDUg\_Ucj g\_f\c F9D95H I BH@'DcXa ]Yb\_UgUh 'hygh 'YUy'dc 'dfYWcXY'Wh `ca žhyXUWh i g'dfYVY\ bY'bUa YbY^'fUn'U  
\cj cf]yj UgUa i 'Wh i g'g'dcXa ]Yb\_ci 'bU\_cbW'.

>YXjbz 'a cýbz 'gnbHl 'Wh i 'do..while"

## Df<sub>L</sub> UX% !% "7m i ggdcXa JYb\_ci bU\_cbW

```
1
2 $i = 0;
3 do {
4 print $i;
5 } while ($i>0);
6
```

? df<sub>L</sub> Uni **Xc!k \ JYbYYI** lgi 'Y U hfbUhj bU gnbHJ "Dncf" A YXn] DUGW ca 'UD< D^Y dcXgUh b fcnX]Y j c j m c XbcWj Ubfnzj YfY bY^dcXa JYb\_m^ DUGW cd•y U Wh i g df] gd'bYbfnzj YfY bY^dcXa JYb\_n^ D^dfzj Y'bUcdU\_ž df] ^Y^bYgd'bYbfnzj .....

**Xc**
**JZ**
**k \ JYffJO%\$S L**

Dc\_JU **Xc!k \ JYcVg\i** 'Y n'c yB j fUrž'Yj \cXbf d tgU dcXa JYb\_i **k \ JYnUi nUj** zfUW i 'n'c ybc i 'nzlj cf\_ci 'Íql 'n'c ybf \c df<sub>L</sub> Uni "

NbUW\UnmU7'a 'yi 'dci ýl 'U^fcnX]YbY'dci ýl H Y Wh i "do..whilež\_hff'i a c ybi ^YnUgHJ ] j m cbzj Ub]Y Wh i 'j 'ghfYXY'Vc\_i 'df<sub>L</sub> Uncj 'dca cWi .. do..whilefSžU'dci ýl h a 'df<sub>L</sub> Uni **VfYU**" J JUWUg] bUdcj JYdf<sub>L</sub> UX .

## Df<sub>L</sub> UX% !% "DfYfi yYb]YWh i

```
1
2 do {
3 if ($i < 5) {
4 print "i nieje dost vela";
5 break;
6 }
7 $i *= $factor;
8 if ($i < $minimum_limit) {
9 break;
10 }
11 print "i je ok";
12
13 ...spracuj i...
14
15 } while(0);
16
```

for

>Ydf<sub>L</sub> Un Wh i ž\_hcf 'dci ýl Ya Yj 'df<sub>L</sub> UX Yž yY^Y dfYXca 'nbza midc YhdfYWcXcj Wh ca ">Y c gnbHJ 'Y bUg YXcj bz. .

## Df<sub>L</sub> UX% !% "GnbHJ Wh i 'g'dYb a 'dc hca JHfzW! Zcf

```
1
2 for (vyraz1; vyraz2; vyraz3) prikaz
3
```

**j** **fUn&**^Yj m\cXbch\yb `dfYX'nU ]Uh ca `dfYj zXnUb]U'Wh i "Dchca ^Yj m\cXbch\yb **j** **fUn&**^5^"Yj fzlh\bf`HFI 9z dfYj zXnUgU'hYc 'Wh i **dft** **Un**"BU \_cbW\_UyXf\c `dfYWcXnWh `ca `gUj m\cXbch\yb **fUn** z c `gUXY^YHU\_ X\c\vdc\_JU a z **j** **fUn&**\cXbch\yb HFI 9" CVj m\YgUj **fUn&**dc i yj U'bU ]b]WU]rzWh f]UX]UW^dfYa YbbY^Wh i "j **fUn&**^YdcXa ]Mb\_UdfYj zXnUb]U'Wh i 'Uj **fUn** 'g•y]bUdfUj ]XYb• 'U\_h U]rzWh f]UX]UW^dfYa YbbY^Wh i "

?UyX j fUn #0x8Z #a ' yYVm dfznXbm"

J dlg` tgY`cX%`Xc %S. .

### Dft `UX% !%!"7m i gZcf

```
1
2 /* Príklad 1 */
3
4 for ($i = 1; $i <= 10; $i++) {
5 print $i;
6 }
7
8 /* Príklad 2 */
9
10 for ($i = 1; ; $i++) {
11 if ($i > 10) {
12 break;
13 }
14 print $i;
15 }
16
17 /* Príklad 3 */
18
19 $i = 1;
20 for (;;) {
21 if ($i > 10) {
22 break;
23 }
24 print $i;
25 $i++;
26 }
27
28 /* Príklad 4 */
29
30 for ($i = 1; $i <= 10; print $i, $i++) ;
31
```

D\v D\jY\i a c\ybi ^Ydc i y] 'U\YfbUh\j bi 'gnbHU.

## Dft\_`UX% !% "5`HfbUhj bUgnbHJ Wh\_i Zef

```
1
2 for (expr1; expr2; expr3): statement; ...; endfor;
3
```

## foreach

D< D( ffD< D( 'b]YLnU\ U\_cbylfi \_Wl foreachždcXcVbY'U\_c 'dYf' 'U]bf' 'Unm\_m' I a cýbi 'Y' 'YXbcXi Wc 'cVg'i \cj U 'Wf'dc 'JU' 'Az 'Xj YgnbHJ Yz'U^\_Y ' Xfi \z 'Y'Yb'j YXU'ý' a 'fcný'fYb' a 'dfj Y^.'

## Dft\_`UX% !% "'GnbHJ : cfYUW

```
1
2 foreach(pole as $value) prikaz
3 foreach(pole as $kluc => $hodnota) prikaz
4
```

Dfj 'f]UXc\_ 'XYZbi 'YWh i g j 'dc ]dc 'Y'Dc Ug\_ UjXf\c 'Wh i 'YU\_h z'bYa i 'dfj \_i 'dc U'df]fUXYbz '\cXbcHU^ jUi YU]bXI 'U\_h z'bYc 'dfj \_i 'dc U'Y' nj z'yb' c 'YXYb'"'8fi \ 'f]UXc\_ fcVt'hc 'gjz'g'h a 'fcnX]Yca z'yYU\_h z'bYa i '\_• i 'dfj \_i 'dc U'Vl XY'df]fUXYbz 'dfYa Ybbz '^'\cXbcHUdc Ug\_ UjXf\c ' df]YVY i 'Wh i ''

Dfj dfj ca 'j c 'Ub'Z b\_W'ZcfYUW 'Y]bXI 'dc U'U hca UhWmbUghJ Yb 'bU'Y\c 'dfj 'dfj c\_ž'HU\_ýYj c 'Ub]Y'fYgMfL 'Y'nVnrc bf"

H]Ylc 'Xj Y\_cbylfi \_Wl'g' 'HYXU• d'bY'fcj bU\_f''

## Dft\_`UX% !&"?cbylfi \_VlU: cfYUW %

```
1
2 reset ($arr);
3 while (list(, $value) = each ($arr)) {
4 echo "Hodnota: $value
\n";
5 }
6
7 foreach ($arr as $value) {
8 echo "Hodnota: $value
\n";
9 }
10
```

DcXcVbY'U^H]Ylc.

## Dft\_`UX% !&%"?cbylfi \_VlU: cfYUW &

```

1
2 reset ($arr);
3 while (list($key, $value) = each ($arr)) {
4 echo "Kluc: $key; Hodnota: $value
\n";
5 }
6
7 foreach ($arr as $key => $value) {
8 echo "Kluc: $key; Hodnota: $value
\n";
9 }
10

```

DfYXYa cbýhfzWl 'dci ýJHUbUg'YXí ~ • Uý]Ydf‡ UXm'

### **Df‡ UX% !&"?cbýhfí \_WU: cfYUW"**

```

1
2 /* foreach Príklad 1: value only */
3
4 $a = array (1, 2, 3, 17);
5
6 foreach ($a as $v) {
7 print "Current value of \$a: $v.\n";
8 }
9
10 /* foreach Príklad 2: value (with key printed for illustration) */
11
12 $a = array (1, 2, 3, 17);
13
14 $i = 0; /* for illustrative purposes only */
15
16 foreach($a as $v) {
17 print "\$a[$i] => $v.\n";
18 }
19
20 /* foreach Príklad 3: key and value */
21
22 $a = array (
23 "one" => 1,
24 "two" => 2,
25 "three" => 3,
26 "seventeen" => 17
27);
28
29 foreach($a as $k => $v) {
30 print "\$a[$k] => $v.\n";
31 }
32

```

**break**

**VfYU\_** i a cýbi Y'c\_Ua ý]hf' dfYfi ýYb]Y'dfYj zXnUb]U'ýlfí \_h fmj**ZZcfžk \ ]YUYVc gk ]HW"**

**VfYU\_** a z 'bYdcj ]bb 'bi a Yf]W 'Uf[ i a Yblž\_hcf 'i Xzj Už\_n\_c \_ W'nUd•nXfYb W'Wh`cj 'UYVc ]b W'ýlfí \_h f'a z 'j ng\_c ] ""

### Dft\_ UX% !& "6fYU\_j 'dfU ]

```
1
2 $i = 0;
3 while ($i < 10) {
4 if ($arr[$i] == "stop") {
5 break; /* mozem napisat aj 'break 1;'. */
6 }
7 $i++;
8 }
9
10 /* Pouzitie volitelneho parametru o kolko urovni vyskocit. */
11
12 $i = 0;
13 while (++$i) {
14 switch ($i) {
15 case 5:
16 echo "At 5
\n";
17 break 1; /* Ukonci len prikaz switch. */
18 case 10:
19 echo "Pri 10; koncim>\n";
20 break 2; /* Ukonci switch aj while. */
21 default:
22 break;
23 }
24 }
25
```

**continue**

Wbh]bi Y'c\_Ua ý]hf' dfYg\_c † Uý]Y'df‡\_UnmWh i 'U'nU bY'dfYj zXnU ' Uýji 'JYfzWh 'Wh i ""

Wbh]bi Y'a z 'bYdcj ]bb '‡gYb 'Uf[ i a Yblž\_hcf 'i Xzj Už\_c \_c 'Wh `cj 'gU'a z 'dfYg\_c ] ""

### Dft\_ UX% !& "7cbh]bi Yj 'dfU ]

```

1
2 while (list ($key, $value) = each ($arr)) {
3 if (!$key % 2) { // preskoc parne clenky
4 continue;
5 }
6 do_something_odd ($value);
7 }
8
9 $i = 0;
10 while ($i++ < 5) {
11 echo "Vonkajsi
\n";
12 while (1) {
13 echo " Stredny
\n";
14 while (1) {
15 echo " Vnutorny
\n";
16 continue 3;
17 }
18 echo "Toto sa nikdy nevypise.
\n";
19 }
20 echo "Neither does this.
\n";
21 }
22

```

### switch

J `df‡dUXYžjY'a za Yj JUWdcXa JYb\_cj Wj YHjžcdUfgU'dci ý‡ U `df‡Un'gk ]HW"’>Yc gnbHU 'YbUgYXcj bz.

### gk ]HW flj fUp%L:

o'

.....WgY< C8BCH5'5':

.....`df‡\_Un5%'

.....`df‡\_Un5&'

.....'''''

.....`VfYU\_/'

.....WgY< C8BCH5'6':

.....`df‡\_Un6%'

.....`df‡\_Un6&'

.....'''''

.....`VfYU\_/'

.....'''''

.....XYZI 'h'

.....`df‡\_UnLLL%'

q'

5\_c `h Z b[ i ^Y3'BU'dfj 'gUj m c Xbc h j fUp%U'dchca 'g` dcghi dbY'dfYWzXnUbf`\c Xbc h minU WgY'Uy\_ a 'gU'bYbz 'XY`c Xbc HZ \_hcfz 'gU'fcj bz' j fUn %'Bzg'YXbY'gUj m cbzj U` `df‡\_UnmžUy\_ a 'gU'bYbUfUn`bU'df‡\_Un'VfYU\_ 'UYVc \_cb]YWdf‡\_Uni 'gk ]HW" I dcnef i ^Ya 'bU`hžjY'gU'gdflWj zj U` j ýHh midf‡\_UnmflU^nU WgY'dc\_JU 'gU'bYbUfUn`bU'VfYU\_L" Ug 'XYZI 'higUj m cbz j hYXnžU\_ 'Ub] 'YXbU\c Xbc HU'gU'bYfcj bz j fUn %' Ug 'XYZI 'h'Y bYdcj Jbbz"

Df‡\_UX% !& "?Ug\_zXcj JZU'Y\c 'bU fUXYb]YWh`df‡\_Un'gk ]HW

```

1
2 if ($i == 0) {
3 print "i je rovne 0";
4 }
5 if ($i == 1) {
6 print "i je rovne 1";
7 }
8 if ($i == 2) {
9 print "i je rovne 2";
10}
11
12 switch ($i) {
13 case 0:
14 print "i je rovne 0";
15 break;
16 case 1:
17 print "i je rovne 1";
18 break;
19 case 2:
20 print "i rovne 2";
21 break;
22}
23

```

### require()

Df<sub>‡</sub> Un<sub>‡</sub> fYei JfYEL Xcd'bfa ]Ygfc 'gVVU'cVgU\ 'nUXUbf\c'g• Vcfi ždcXcVbYU\_c'j 'Um*m*i '7'df<sub>‡</sub> Un<sub>‡</sub> #include"

BYnUvi Xbjhž'ýY'g• VcfmigdfUWj zj Ubf' df<sub>‡</sub> Unca ]bW<sub>‡</sub> XYEL UYVc 'fYei JfYEL'g• 'gdfUWj zj Ubf'U\_c'D< D'Xc\_i a Yblž' c'nbUa Ybzž'ýY' Ugh'c\fUb] Ybf' d'Ub a ]D< D'yHf#ghd'HU ca 'g• 'gdfUWj Ubf'U\_c'D< D'g\_f]dh'cgHU\_U\_c'< HA@Xc\_i a Ybh'D< D' Ug 'a i gfnU #bU 'U\_cb ] 'd'Ub a D< D'yHf#ghd' HU ca

Hžlc 'fYei JfYEL bYj fUWU'ý]UXbi '\cXbch' "

BUfcnX]Y'cX]bW<sub>‡</sub> XYEL fYei JfYEL jyXm<sub>‡</sub> HUWYcj 'g• VcfžU^\_Y 'gU'df'g'i ýb 'f]UXc\_ \_CXi j c JUýca 'g\_f]dh' b]\_XmbYj m<sub>‡</sub> cbzj U' DfY'dcXa ]YbYbf' ]bW Xc<sub>‡</sub> Ub]Y'g• Vcfi 'dci ýjhY'fUXýY' ]bW<sub>‡</sub> XYEL"

DcXcVbYž Wh<sub>‡</sub> miU\_ lgtc 'bYcj d'nj i ^ 'gdfzj Ub]Y'fYei JfYEL'5\_ 'Ydf<sub>‡</sub> Un<sub>‡</sub> fYei JfYEL'g• Ug Wh<sub>‡</sub> i ž]bW Xc<sub>‡</sub> Ub]Y'g• Vcfi 'gUj m<sub>‡</sub> cbz' 'Yb'fUh'

5\_ 'WWWhY' ]bW Xc<sub>‡</sub> U 'f' nbY'g• Vcfmj 'Wh<sub>‡</sub> Yž dci ýjhY' ]bW<sub>‡</sub> XYEL'

### Df<sub>‡</sub> 'UX% !& "NJ c'Ub]Y'\ 'U] \_m

```

1
2 require ('header.inc');
3

```

BYnUvi Xbjhž'ýY' ]bW<sub>‡</sub> XYEL U' fYei JfYEL'ng\_U' 'cVgU\ 'g• Vcfi 'j 'Ugbci 'Wgfc' 'Wn`c\_z'bmig• Vfcj 'gnghfa ž'b]Y'dca cWi ''< HD''

## Df<sub>1</sub> UX% !& "Df]dc^Yb]Yg^ Vcfi

```
1
2 require ("file.php?varone=1&vartwo=2"); /* nepracuje. */
3
4 $varone = 1;
5 $vartwo = 2;
6 require ("file.php"); /* $varone a $vartwo budú k dispozícii v file.php */
7
```

## 15. Funkcie

### Užívate sky definované funkcie

: i b\_WWg^• ý]U'bU'n^YXbcXi ýYb]Y'bUý]W'dfc[ fUa cj "J' nzi ^ a Yg\_fz hMb]U'U'gdY\ UXbYb]U\_0Xi 'XY^ja YVc\_m\_0Xi 'Xc 'YXbcXi Wý]W' Ughz\_ hcf^bYg^ bzncj 'dcXU'Z b\_WW'\_hcf^ j m\_cbzj U^ "H]Yr^ dfc[ fUa cj f'Vc\_mij c'za Y'dfcWX^ fmU'YVc 'Z b\_WW' Bzncj 'dfcWX^ fmU'YVc 'Z b\_WW'Vmia U'j ghybY'dcdlgcj U 'hcz^ c'Z b\_WWj m\_cbzj U": i b\_WW'a ' ýYa Yj c'U 'gj ]UWf a 'j'j gli db a 'j'dUfUa YhfUa jZ'Z b\_WWj fUWU 'YXbi 'bzj fUhcz^ • \cXbcli "Df<sub>1</sub> UXca 'a ' ýYVm'Z b\_WW'dfYg #Ub]YXj cW^ tgYz\_hcfz j fUWUj g'YXc\_.

## Df<sub>1</sub> UX% !%"GVHb]YXj cW VgY"

```
1
2 function scitaj ($scitanec_1, $scitanec_2) {
3 $vysledok = $scitanec_1 + $scitanec_2;
4 return $vysledok;
5 }
6
7 //priklad pouzitia
8 $aritmetika = scitaj(5,5);
9 echo "Vysledok je".$aritmetika;
10 //skratene
11 echo "Skrateny vysledok je".scitaj(5,5);
```

DUhb '\_0Xa i g^Vm'Hy^ca 'Z b\_WW^dcXcVbY'U\_c'df]']b W'Z b\_WW'U'YVc'f]YXUW''Hy^c 'Z b\_WW'nU #bU'U'\_cb f'Vc\_cj a 'cdYfz^hfa j'o' Uq"

### Argumenty funkcií

=bZcfa zWW'dfY'Z b\_WW 'a ' yi 'Vm'XcXUb^f'U\_c'ncnbUa 'Uf[ i a Ybhcj z\_hcf 'Yj 'UgbYncnbUa ca 'dfYa Ybb W'U'YVc'cbYbz^hfcXXY^Yb ' JUf\_Ua ]"

D D'dcXdcfci 'Yj c'Ub]Y'Uf[ i a Ybhcj 'cXbclci 'fla d'MbYzj c'Ub]YScX\_Urc a z'U]a d'Mb^f^cXbch^SfU[ i a Ybhcj "NcnbUa ' Uf[ i a Ybhcj 'g'dfYa Yb]j ci 'Xy\_ci 'YdcXdcfci Ub 'Yb]j 'D<D('l l "DfYj ]UWbZcfa zW'dcnf'ncnbUa '

**Uf[ i a Ybhcj SgSdfYa Yb]j ci SXy\_ci 'U'dcdlg'Z b\_WW'Z bWSbi a SUf gftZ bWS[ YfSUf fL'U'Z bWS[ YfSUf gft^Fcj bU\_ 'YZY\_h a ' ýYa Y'Xcg]Ubi 'U^j 'D<D' 'dfYXUb]a 'dc U'U\_c'Uf[ i a Ybli ''**

## Df<sub>1</sub> UX% !&: i b\_WUgUf i a Ybca lml dcY

```
1
2 function vezme_pole($vstup) {
3 echo "$vstup[0] + $vstup[1] = ", $vstup[0]+$vstup[1];
4 }
5
6 $vstup = array ('jano','Fero');
7 vezme_pole ($vstup);
```

## Predávanie argumentov odkazom

=a d]MlbYg• 'Uf[ i a YbmiZ b\_WYj c'Ub f'\cXbchci ź c j g\_fUh Y\_nbUa YbzžjYU\_ na Ybša Y\cXbch 'Uf[ i a Ybh j c j b•hf] Z b\_WYž  
bYcj d'nj b‡lc '\cXbch 'Uf[ i a Ybh 'a ja c'bY''J 'cdU bca 'df]UXY'a i g‡Y'dci ſl j c'Ub]Y'Z b\_WY'cX\_Unc a "5\_ WWhž'UvnVc ``Uf[ i a Ybh  
Z b\_WYj c'Ub 'cX\_Unc a ź a i g‡Y'dfYX'bY'c'XU 'nbU\_ 'Ua dYfgUbX' dfYX'Y'bzncj 'df]'Y'j c'Ub‡'.

## Df<sub>1</sub> UX% !! "Jc'Ub]Y'cX\_Unc a

```
1
2 function pridaj(&$string) {
3 $string .= 'a nie o extra';
4 }
5 $str = 'Toto je re azec ';
6 pridaj($str);
7 echo $str; // vypíše 'Toto je re azec a nie o extra'
8
```

5\_ WWhž'j c'U 'U'bcfa z'bi 'Z b\_WI 'fj c'Ub' '\cXbchci L'cX\_Unc a ź a ' yH'Y'df]dc'j 'nbU\_ 'Ua dYfgUbX' dfYX'Y'bzncj 'df]'Y'j c'Ub‡'.

## Df<sub>1</sub> UX% !( "Jc'Ub]Y'cX\_Unc a

```
1
2 function foo ($bar) {
3 $bar .= ' a nie o extra.';
4 }
5 $str = 'Toto je re azec, ';
6 foo ($str);
7 echo $str; // vypíše 'Toto je re azec'
8 foo (&$str);
9 echo $str; // vypíše 'Toto je re azec a nie o extra'
10
```

## Implicitné hodnoty argumentov

: i b\_WUa ' yY'dci ſl 'a d]Mlb• '\cXbch 'Uf[ i a Ybh j 'df]UXYžjYUf[ i a Ybhdf]j c'Ub‡bY]b]MU]hi 'Ya YfbYXcXza Y\cXbch L"J 'df]UXYž  
yYj Ufša Y\_zj i j 'fYyHU fzW#dca cWi 'Z b\_WYi fcV?Uj i #z'dfYXdc\_ UXza YžjY'- ) i '\cgh‡gl'cV'YXbz'\_Udi \_bc" Hc i a cýb‡n'YXbcXi ſl 'Z b\_WI 'i fcV?Uj i 'HU\_žjY'U\_ 'bYnUXza Y]b 'j gli db 'Uf[ i a Ybh! 'jb 'lml'\_zj nžHU\_ 'bza 'ja d]MlbYi j Uf‡\_Udi \_bc"

## Df Ł UX% !": i b\_WU i fcV? Uj i 'g]a d]Wbna Uf i a Ybhca

```
1
2 function urobKavu ($type = "cappuccino") {
3 return "Urob salku kavy $type.\n";
4 }
5 echo urobKavu ();
6 echo urobKavu ("espresso");
7
```

J ghi d'Vi XY'bUg'YXi ^W

```
Urob salku kavy cappuccino.
Urob salku kavy espresso.
```

=a d]Wbz \cXbcH'a i g‡Vm \_cbýLbHLž'bYa ' ýY'hc 'Vm 'dfYa Ybbz 'U'YVc ' Yb 'lf]YXn!NbUa Ybz 'hcž'ýYj 'h'Y'XYZb]W'Z b\_WW'gU'ja d]Wbz
\cXbcH'a ' ýY'XYZbcj U "Yb'fUh" **BYnUVi XbjHžyY]a d]Wb]fUf i a Ybhnia ' yi 'Vm'nlfUXb]fUy'nU" - 'Ug]W a J" Uf i a Ybhia ]ž
HXXUj ýXnj 'dfUj c j 'ncrbUa YUf i a Ybhj "BUg'YXi ^Wdf Ł UX'bYVi XY'dfYlc 'Z b[ cj U ""**

## Df Ł UX% !\* ""7\ nVbmija d]WbniUf i a Ybh

```
1
2 function urobJogurt ($type = "probio", $prichut) {
3 return "Urob pohar jogurtu typu $type $flavour.\n";
4 }
5
6 echo urobJogurt ("jahoda"); // nefunguje
7
```

J ndkýY

```
Warning: Missing argument 2 in call to urobJogurt() in
xxx.php on line 6
Urob pohar jogurtu typu probio jahoda
```

5 HU\_hc 'Y'hc 'gdfzj bY .

## Df Ł UX% !+"Gdfzj bmija d]Wb Uf i a Ybh

```
1
2 function urobJogurt ($prichut, $type = "probio") {
3 return "Urob pohar jogurtu $type $flavour.\n";
4 }
5
6 echo urobJogurt ("jahoda"); // funguje
7
```

J **gli d.**

```
Urob pohar jogurtu probio jahoda.
```

### Návratové hodnoty

Bzj fUhcj z \cXbcH\Z b\_VY^Y]b]VU]ncj Ubz 'bYdcj ]bb a 'df\Unca **fYhi fb**"Jfzh\yb 'a 'jYVm'\cW\_ 'Indžj fzHUbYncnbUa i ' ]cVY\_h ''.

### Df\UX% !, "Bzj fUhcj z \cXbcH

```
1
2 function mocnina ($num) {
3 return $num * $num;
4 }
5 echo mocnina (4); // vypíše '16'.
6
```

5^\_Y 'j 'D**D**bYa 'jYH\ng\_U 'j JUWdfYa Ybb W'n\Z b\_VY^YXbcHj cžUY'a 'jYH\W'j fzH 'dca cWi 'dc U''.

### Df\UX% !- "J]UWbzj fUhcj W\cXb' h

```
1
2 function male_cisla() {
3 return array (0, 1, 2);
4 }
5 list ($nula, $jedna, $dve) = male_cisla();
6
```

### Funkcie premenných

D**D**dcXdcfi ^YU^bzj f\Z b\_VYdfYa Ybb W''NbUa Ybz 'hžjYbzncj 'dfYa YbbY^Ydci jh 'U\_c\Z b\_ bf'j c'Ub]Y\Z b\_VY''.

## Df<sub>1</sub> 'UX% !%": i b\_WUdfYa YbbY^

```
1
2 <?php
3 function foo() {
4 echo "Vo funkcia foo()
\n";
5 }
6
7 function bar($arg = '') {
8 echo "Vo funkcia bar(); argument bol '$arg'.
\n";
9 }
10
11 $func = 'foo';
12 $func();
13 $func = 'bar';
14 $func('test');
15 ?>
16
```

## 16. Triedy a objekty

Df<sub>1</sub> fýYbWCCDfcVY\_hc j c 'cf]Ybhcj Ubf\c 'dfc[ fUa cj Ub]U:gU'XchYfUn'i f ]hY'Yb'dci ga ]y U]U'nUzj U]gU'bUX'h a ]h 'EdfhnYa bcg ua ]í'' Aza 'hi j yU\_ 'U'bzY c 'dfYb]W'">Unm\_D< D'df]bzYU'a cýbcg 'XYZbMY'f]YX'f]YXU'Yi f ]h 'hndž\_hcf 'cVgU\i 'Y'XzH'U'Xzhcj f'ýlfi \_h fmi f]U'Y'U'bzYa i g]U'Z b\_VW'fa YhCXnLž\_hcff'gi 'bUX'XUb a ]Xzhcj a ]ýlfi \_h fUa ]XYZbcj Ubf'"=býHbWU'f]YXmj 'dfc[ fUa Y'gU'bUn j U cV'Y\_h'CV'Y\_h'Y'hXU'Zm' ýlfi \_h fUj 'dUa } H'dc #U U'zf] ca 'f]YXU'Y'Yb 'U\_ g]dfYXd]gZ'U\_c 'cV'Y\_hj nlj cf] "Dca cWi 'f]YXU'cV'Y\_hc' XcgU\bzYa Yj } ýlfi \_h fUj 'dUa } H'dc #U U'zf] ca 'f]YXU'Y'Yb 'U\_ g]dfYXd]gZ'U\_c 'cV'Y\_hj nlj cf] "Dca cWi 'f]YXU'cV'Y\_hc' XcgU\bzYa Yj } ýlfi \_h fUj 'dUa } H'dc #U U'zf]

....XYX] bcghj

....dc'ma cfZna i

....nUd•nXYbcghj"

H]YXU'a z j 'Unm\_i 'D< D'bUg'YXcj b 'gWfa UhW 'lj Uf.

## WUgg'a YbcSlf]YXmj

o'

...XYZbMYUdfYa Ybb W'01 ]b]MU]nU bz 'cxbcHUQ/

...XYZbMYUZ b\_Wt'/

q

H]YXU'Y'g•\fb'dfYa Ybb W'U'Z b\_WZ'\_hcff'g'h a ]h 'dfYa Ybb a ]dfUW^" H]YXj 'XYZbi 'Ya Y'dca cWi 'bUg'YXj '^W^gnbHU Y.

## Df<sub>1</sub> 'UX% !%"8YZb]MU]f]YXnjg'&a YhcXla ]

```

1
2 <?php
3 class Kosik {
4 var $polozky; // polozky v nakupnom kosiku
5
6 // pridaj $pocet poloziek tovaru $cislo_vyrobku do kosika
7
8 function pridaj_do_kosika ($cislo_vyrobku, $pocet) {
9 $this->polozky[$cislo_vyrobku] += $pocet;
10 }
11
12 // zober $pocet kusov tovaru $cislo_vyrobku z kosika
13
14 function vyber_z_kosika ($cislo_vyrobku, $pocet) {
15 if ($this->polozky[$cislo_vyrobku] > $pocet) {
16 $this->polozky[$cislo_vyrobku] -= $pocet;
17 return true;
18 } else {
19 return false;
20 }
21 }
22 }
23 ?>
24

```

Hľať XYžbi Ylf]YXí 'g'bznj ca ?cg]ž\_hfz dcncglzj Un'UgcVUhl bY\c 'dc Uhlj Ufcj 'UXj cW'Z b\_W! 'bU'df]Xzj Ub]YXc 'cý‡U'Uj nVYfUb]Y' n'\_cý‡U'

Hf]YXmg• 'mdnž W nbUa YbzžnYU 'WWa Yj nj cf] 'dfYa Ybb• 'fljbyHbW! Lf]YXnž a i g‡a Ydci ý] 'cdYfzlf 'bYk "•

#### Df‡\_UX% !&"Jc'Ub]Yf]YXm

```

1
2 $kosik = new Kosik;
3 $kosik->pridaj_polozku("10", 1);
4

```

Hlb j nj cf‡cV'Y\_h~ \_cg]\_lf]YXm?cg]\_Dchra 'Y'nUj c'Ubz 'Z b\_WU'df]XUSXcS\_cgl\_Ufl'dfYj 'cýYb]Y%\_i gi 'hlj Ufi ' lg'c %S'Xc 'cý‡U'

Hf]YXmia ' yi 'Vm 'hYy'fcyyfYb]Ua ]]b W 'lf]YX'FcnyfYbz 'UYVc 'cXj cXYbz 'lf]YXU'a z j ýYh midfYa Ybbf'U'Z b\_WY'd' j cXbY'lf]YXm'>Y'bi hb' dci ý] \_ • cj f'g'cj c 'Yl HbXX' J ]UWzgcVbf'XYXYb]Y'b]Y'Y'nUh]U 'dcj c 'Ybf'g' 'Yb'j bcfYbf'lf]YXm'

#### Df‡\_UX% !! ""8Yžb]Mf]YXmI dfUj YbnS?cg]

```

1
2 class Upraveny_Kosik extends Kosik {
3 var $vlastnik;
4
5 function nastav_vlastnika ($meno) {
6 $this->vlastnik = $meno;
7 }
8 }
9

```

Hmblc `df‡\_UXXY‡bcj U`hf]YX † dfU YbnS?cg‡\_‡\_hcfz `a z `j ýYh\_midfYa Ybbf`U‡ b\_WW`hf]YXm?cg‡\_d`i g`XcXUrc b• `dfYa Ybb• `j Ugbl\_U` XcXUrc b• ‡ b\_WW`bUgbl\_U‡`Jn‡ cf‡Y`dca Ybcj Ub \_c‡\_‡\_Ug|Wci `Wgri `Ua ` ýYhY`bUgbl\_U` `Ung\_U`bzncj `j Ugbl\_U`

### Df‡\_UX% !("Dci n‡H`Y`hf]YXmI dfU YbnS?cg‡\_

```

1
2 $novy_kosik = new Upraveny_Kosik; // vytvorí pomenovaný košík
3 $novy_kosik->nastav_vlastnika ("kris"); // nastaví vlastníka
4 print $novy_kosik->vlastnik; // vypíše vlastníka
5 $novy_kosik->pridaj_položku ("10", 1); // (zdedená vlastnos od triedy cart)
6

```

Jc ‡ b\_WW`hf]YXmidfYa Ybbz ` hlg`nbU ‡hYbhc `cVY\_h`Ai g‡Y`dci ýj ` hlg!2b]Y c`dfY`dfghi d`\_i `dfYa Ybb a `j c`JUýca `cVY\_h`

?cbýlfi \_hcf`Y‡ b\_WW`j hf]YXY‡\_hcfz `YU`hca UhWminUj c`Ubz`df]j nlj cfYb‡\_jbýlhbWW`cVY\_h "I ý`UXfc`NYbX%"S`nUj ]YXc`nbza i ` cVY\_hj ` a Y‡Kxi `cbýlfi \_hcfz \_hcfz `Yj c`Ubz`df]j nlj zfUb‡cVY\_h "Y`cdU\_j ýU\_j `H`Yr\_j Yfn‡]`UXfUW`VU‡UYbcj z j Yfn‡U`NYbX`&S` df]bzyU`dcXdcfi `XÝlfi \_hcfU‡`c`Y`a Y‡Kxi`j c`Ubz`df]j fi ýYb‡cVY\_h "8Yýlfi \_hcf`YU`hca UhWmj c`Ub `df]nfi ýYb‡dcg`Y‡bY`fYZfYbWW` bU`cVY\_h`J`dfYXWzXnU`WW`j Yfn‡]`a U`\_cbýlfi \_hcf`a Ybc`XUbY`hf]YXn‡j `UXfY`&`gUj c`z`SSWbglfi `W‡`DcXcVbY`a z `XÝlfi \_hcf` a Ybc`SSXVgfi `W‡`

### Df‡\_UX% !)"8Y‡b]MUL`YXmidfY`NYbX%"UNYbX&

```

1
2 class MojaTriedaZend1 {
3 function MojaTriedaZend1() { //stary typ konštruktora
4 print "Konstruktor pre Zend 1.0";
5 $this->meno = "MojaTriedaZend1";
6 }
7 } //Zend 1.0
8
9 class MojaTriedaZend2 {
10 function __construct() {
11 print "Konstruktor\n";
12 $this->meno = 'MojaTriedaZend2';
13 } //nový konštruktor
14 function __destruct() {
15 print 'Zrusim ' . $this->meno . "\n";
16 } //nový deštruktor
17 } //Zend 2.0
18

```

DcXcVbYU\_c\_ \_cbýlfí \_hcf'Ub]XYýlfí \_hcf'bYj c'z'ja d'MhYgj c^fcX] cj g\_ \_ cbýlfí \_hcf'UYVc XYýlfí \_hcf"J df‡dUXYž yYWWWhY nUj c'U'U^ fcX] cj g\_ a YhXi ždci ýhY\_ cbýlfí \_W j c'JÚca \_OXy.

### fcX] cj g\_ ScVY\_h.SSWbglfi Wf:

UYVc

### fcX] cj g\_ ScVY\_hSSSXgjfi Wf:

NYbX%"S'bYdcg\_nhi ^Y'ý]UXbi a cýbcg 'cXgfhzbYb]U'cVY\_h z'bU\_hcf 'YýH'Yl jghi 'Y'fYZfYbVJ'Bej cnUj YXYb 'df‡Un XY'YH'i a cýbi 'Y b•hYbYnUj c'U'Xýlfí \_hcf'cVY\_h 'Ui j c b] 'cVY\_hn'dUa } hY"FYZfYbVJYž \_hcf'cX\_Uncj U]bU'hYbrc'cVY\_hVi X•'bYd'Uhbf'Udc\_i g'c' df'gi d'\_cVY\_h 'Vi XY'gdFjy zXnUb '\_f]hWci 'WnVci "

5\_ a zhY'i ýj UHg\_ • Z b\_W 'XY'YHfEzVi XY'í 'bi hb'f' dfYa Ybcj U z'bU\_c\_c' hcf' \_ cj f'g'cj c 'Y'fYnYfj cj Ub'f' dfY'b•hYb'f'j c'Ub]Y' XYýlfí \_hcf'U' dfY'na Ybmij 'UXfY'N9B8 '& Ubcj ]b\_mj 'cVY\_hcj ca 'a cXY]DxD(' "& Uj nýY]Y'gl' dfY' hY'Xc\_i a Ybh NBX&! Na Ybmij .

### DxD

## 17. PHP a Grafika

?blýb]W'; 8'i a cýbi 'Yj 'gdc'i dfzWg'DxD' U\_c'[ YbYfcj U 'XnbUa ]Wf'cVfzn\_mUj 'gdc'i dfzWg'lb a ]\_blýb]Wa ]'U'[ fUZm'Gd' gcV' dci ýhU\_blyb]W'; 8'bU'XnbUa ]Wf'[ YbYfcj Ub]Ycfzn\_cj 'Yj Ya ]'YXbcXi Wf"

Nz\_UXbci 'dcXa ]Yb\_ci 'dfY'Z b\_ b'cg '\_blýb]W'; 8'Y'Y'U\_hj zVJdf]\_cbZ[ i fzWJ'DxD'5\_ 'dci ýj Ua Y'gnghfa 'DxD<ca Y'&z'ghU 'dcj c' ]' j 'g' VcfY'd\ d"jb]Yl hYbg]cb1 d\ds[ X'X".

J 'g' VcfY'd\ d"jb]i dfUj H' Ug 'Yl hYbg]cb 'bU

### Yl Hbg]cbSXf'1 ""7.PDfc[ fUa : ]'YgPDx D<ca Y9Xjhcb &P5duWY&Pd\ dPm Hbg]cbg"

/Yl Hbg]cb1 d\dsZZX<sup>..</sup>  
/Yl Hbg]cb1 d\dsZ]Ydfc"X"  
**Yl Hbg]cb1 d\ds[ X'X"**

J 'df‡dUXY'fi bY'\_ca d]zWY'Y'bi hb'f'DxD'g\_ca d]cj U 'bUdf‡'UXg'h a ]h' j c VUa ].

"#WbZ[ i fY'!!k ]h'![ X!!k ]h'!H'Z!!gngWbZ]f1 #YH'!X]gUVY!XYVi [ !!YbUVY!hfUW!j Ufg'!!k ]h'!dXZ]V1 # gf#cW#dXZ]V'!!k ]h'!dY[ !X]f'!! k ]h'!n]V!X]f'!!YbUVY![ X]bUhj Y!H'Z!!k ]h'!hZ]X]f'!!YbUVY!Zd'!!YbUVY!gcWYlg'!!k ]h'!H'Z!!k ]h'!ZYYhdY

fYgdY\_hj YhfcWi 'c\_fYgUbY.

"#WbZ[ i fY'!!k ]h'![ X!!k ]h'!H'Z!!X]gUVY!XYVi [ !!YbUVY!hfUW!j Ufg'!!k ]h'!dY[ !X]f'!!k ]h'!n]V!X]f'!!YbUVY![ X]bUhj Y!H'Z!!k ]h'!hZ]X]f'

DchfYVbf'\_blyb]W'Y'bi hb'f'bU'gnghfa 'bU]býHUcj U 'bUdf‡'UXWn'df‡'Un'Udh[ Yh]bgHU'ObUncj '\_b]hb]W2' df] ca ']býHU' 'Ya Y'b]Y'Yb' nz'\_UXb' j Yfnji '\_blyb]Wž'UY'U'^Y'j\_ j c'zfg\_i 'j Yfnji '\_cb ]UW'bU'XYj "Bzncj '\_blyb]W'ntg\_Ua Y'bUk k k"XY]Ub'cfl' j 'gY\_W]DUWU[Ygž Xza YU'DUWU[Yg' Df‡'UX]býHUzWY'\_blyb]W'; 8.

. UdH [ Yh]bgdU^`]M X&  
. UdH [ Yh]bgdU^`]M X& XYj

#### Df‡\_UX%&!%"G Vcf'cVfUnc\_`d\ d'

```
1
2 <?php
3 Header("Content-type: image/png");
4 $string=implode($argv, " ");
5 $im = ImageCreateFromPng("images/button_pozadie.png");
6 $orange = ImageColorAllocate($im, 220, 210, 60);
7 $px = (imagesx($im)-7.5*strlen($string))/2;
8 ImageString($im,3,$px,9,$string,$orange);
9 ImagePng($im);
10 ImageDestroy($im);
11 ?>
```

?blýb]W'; 8 i a cýbi 'Y[ YbYfcj U 'cVfzn\_mihndi 'D; žDB; 'UgHfý]Yj Yfn]Y\_ blýb]W'U'; = "'DcXdcfU'dcg'YXbf\c 'Zfa zli 'Vc'Ui \_cb Ybz' j n\ UXca 'bUdUhýbhj f'dfcVfa nž 'Yj ýU\_ a cýbf'\_blýb]W'nig\_U 'Ug\_ca d]cj U 'j 'Ugb a ]gl'Ua ]"

Dci ýjhY'dfYXWzXnU• W\c'df‡\_UXi 'Ydchca 'j Ya ]'YXbcXi Wfždf‡\_UXca 'Yhj "XnbUa ]Wm[ YbYfcj Ubf'a Ybi .

#### Df‡\_UX%&!&"Dci ýjhYXnbUa ]Wm[ YbYfcj Ubf\c 'cVfzn\_U

```
<!-- menu -->
<table border="0">
<tr>
 <td></td>
 <td></td>
 <td></td>
 <td></td>
</tr></table>
<!-- koniec menu -->
```

### 18. PHP a databázy

DY'gdfzj i 'XUhVznej f\c gngifja i 'g•ý]UgdYWI]ncj Ubf'bzgfc'Y'J]UW]bzfa zW\c fYU b W'U'cVY\_hcj W'XUhVznuW 'Y a cýbf'bz'g j dfi gí ýbY^`]hYfUh fY'HU\_hYý'Yj \cXbf'fcni a JY'gdfzj Y'XUhVznnž'fYgd"dcf]UXbY'g]dfYýh Xej U '\_Ud]hc i 'igc'\*"

J 'UýW'df‡\_UXcW'Vi XY'dfY'gdfzj i '86G dci ýjh' bzgfc^d\ dAnšXa ]b'U'XUhVznuAMGE@'

...J '\U bca 'a Ybi 'j nlj cf\ä Y'XUhVzni 'High

...Dc'•gdYýbca 'j nlj cfYb'XUhVznmhgh'i 'j mVf]Ya Yj 'U ca 'gYYMcl YU\_ 'LbYa YbU'rz'cý\_i 'GE@Z\_XY'bU\_cd#fi 'Ya Y Xc'Yi j YYb 'hM hXc dc U'Gdi gh 'GE@Xchln#Xchln#UXUhVzni 'HighU\_ 'LbYa Y'bU'hU ]Xc 'Jm\cbU "Fcj bU\_ 'YZh\_h XcgHbYa Yfi bci 'XY\zb\Wci 'hVi 'jY\_žfYgd"ja dcfhca 'g' Vcfi 'hYgh!ge'

...B UghJ ja Y'dfzj UdfY'dfighi d'\_ 'XUHVznY'hYghdfY'k YVcj f\c i yj UH Y'UdfY'j JUWjbZ:fa zWdcnf]a Ubi z`\_ 'AMGE@'U'fYcUXbYa Y' XUHVznI j \ Uj bca a Ybi . f8ca cj !2Nbcj i !bu #H 'AMGE@'J\cXbf'dfzj UdfY'bUyj 'Ud' zW 'g' C9@97H-BG9FH D85H9Z9@9H9

Dc'h Whc'\_fc\_cW'Y'XUHVznU'df]dfUj Ybz '\_dci yjhj "

. 'gi Vcf HgHge`  
. 'd\ dAn5Xa jb'AnGE@'8i a d  
. '\Hd. ##d\ dk JnLFX'bYh#d\ dAn5Xa jb#  
. '< cghjH . "cW\ cgh8UHVznU. HgH  
. '!!!!!!!!!!!!!!  
. 'uhfi \_h fUHVni `\_midfYHM`\_i 'fifYxa Yfi  
. '

### I G9'85H565G9'HgH

7F95H9'156@9'dfYxa Yhfl  
Wl Jbhf( LBCHBI @@Ui hcSjbWYya Yblz  
bUncj j UWUfhi SLBCHBI @@  
\_fyXjhniJbnjhlf( L89. 5I @Hf\$fbCHBI @@  
DF=A5FM? 9MfWIL  
L/

. '8i a djb[ XzhdFyHM \_i 'fifYxa Yfi  
. '=BG9FH=BHC'dfYxa Yhj 5@ 9Gff8EFAUha Uj\_UErq fl/  
=BG9FH=BHC'dfYxa Yhj 5@ 9Gff8Efl\_m\_UErq fl/  
=BG9FH=BHC'dfYxa Yhj 5@ 9Gff8f2fCdyfUUbU\_mLErPSSA/  
=BG9FH=BHC'dfYxa Yhj 5@ 9Gff8f2fDgnWc`c[ JUErPSSA/  
=BG9FH=BHC'dfYxa Yhj 5@ 9Gff8f2fA Ucj Ub]YErq fl/  
. '!!!!!!!!!!!!!!  
. 'uhfi \_h fUHVni `\_midfYHM`\_i 'fgh XYbhfl

7F95H9'156@9'ghi XYbhfl  
JSghjblfp&LBCHBI @@Ui hcSjbWYya Yblz  
a Ybc j UWUfhi SLBCHBI @@  
dfYnj lg\_c j UWUfhi SLBCHBI @@  
fwj UWUfhp&LBCHBI @@  
UXFYgUj UWUfhi SLBCHBI @@  
ghj WUHP&L89. 5I @Hfgz  
DF=A5FM? 9MfJXSgH  
L/

. '8i a djb[ XzhdFyHM \_i 'fgh XYbhfl  
. '

=BG9FH=BHC'gli XYbhJ5@ 9GfRfZfM]UbffUW fff+8%8% & \* fff% %ff%/  
=BG9FH=BHC'gli XYbhJ5@ 9GfRfZfBUb\_cffk fUy\_cffft\*, , & &&&ff% )% fff/  
=BG9FH=BHC'gli XYbhJ5@ 9GfRf fffBUb\_UffBYnM X\_cj Uff-- - & ' ' fff) ( fff/  
=BG9FH=BHC'gli XYbhJ5@ 9GfRf fffBUb\_cffft dHU\_fff, %\$%&&&ff% Uni 'cj U& fff/  
=BG9FH=BHC'gli XYbhJ5@ 9GfRf fffYf\_cj Uff, (, - (, ( fffYj UXrj U& fff/  
'!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!  
' ülf \_h fUHVi ` \_nidfYHVi ` \_i 'fUdSdfYXf  
'  
**7F95H9H56@9'nLdSdfYXf**  
JSghJbfP&L:89: 5I @HffBCHBI @@  
WJbfP&L:89: 5I @HffBCHBI @@  
DF=A5FM? 9MfJSghzWL  
L/  
'  
' 8i a djb[ 'xzhdfYHVi \_i 'fUdSdfYXf  
'  
.  
=BG9FH=BHC 'nLdSdfYXJ5@ 9GfRfZfRf/  
=BG9FH=BHC 'nLdSdfYXJ5@ 9GfRfZfRf/  
=BG9FH=BHC 'nLdSdfYXJ5@ 9GfRfZfRf/  
'.  
  
**Dft\_ 'UX% !%"Jnllgj ýYh\_ W'•XUcj 'nHVi \_nidfYXa Yh**

```
1 <?php
2 do {
3 $conn = Mysql_Connect("localhost", "uzivatel", "heslo"); //tu nastav
4 if (!$conn){
5 echo "Nepodarilo sa pripojit k databaze";
6 break;
7 } //endif
8 Mysql_Select_DB("test");
9 $vysledok = @mysql_query("SELECT * FROM predmet");
10 if (!$vysledok) {
11 echo "Chybny dopyt SQL";
12 break;
13 } //endif;
14 echo "<table border=\"1\" ";
15 while($riadok = mysql_fetch_array($vysledok)) {
16 echo "<tr>\n";
17 echo "<td>".$riadok["cp"].".</td>";
18 echo "<td>".$riadok["nazov"].".</td>";
19 echo "<td>".$riadok["kredity"].".</td>";
20 echo "</tr>\n";
21 } // endwhile
22 echo "</table>";
23 } while (false);
24 ?>
```

B]Y\_YXni^Yj \cXbf`dfYdz^U `j ]UWHMv `Y\_žhMbhc `hd`j dlg `gUj c`z `A5GH9F!89H5=@j dlg

## Df` UX% !&"A UghM!XHJ`j dlg

```
<?php
 Header("Expires: ".GMDATE("D, d M Y H:i:s")." GMT");
?>
<h2>Vypis studentov s predmetmi</h2>
<?php
 function showForm() {
 //vypise formularik
 do {
 $conn = @Mysql_Connect("localhost","root","root");
 if (!$conn){
 echo "Nepodarilo sa pripojiti k databaze";
 break;
 } // endif;
 Mysql_Select_DB("test");
 $query = "SELECT priezisko FROM student ";
 $vysledok = @mysql_query($query);
 if (!$vysledok) {
 echo "Chybny dopyt";
 break;
 } //endif;
 }
 ?>

<form action="" method="post">
<select name="priezisko">

<?php
 while($riadok = mysql_fetch_array($vysledok)) {
 echo "<OPTION VALUE=\"". $riadok["priezisko"] ."\">";
 echo $riadok["priezisko"]. "\n";
 } //endwhile
} while (false);
?>

 </select>
 <input type="submit" name="odosli" value="Odosli">
</form>

<?php
} //end show form

function spracuj() {
 global $priezisko;
?>

<table border="1">
<?
do {
 $conn = @Mysql_Connect("localhost","root","root");
 if (!$conn) {
 echo "Nepodarilo sa pripojiti k databaze";
 break;
 } //endif;
 Mysql_Select_DB("test");
 $query = "SELECT priezisko FROM student ";
 $vysledok = @mysql_query($query);
 if (!$vysledok) {
 echo "Chybny dopyt";
 break;
 } //endif;
 while($riadok = mysql_fetch_array($vysledok)) {
 echo "<OPTION VALUE=\"". $riadok["priezisko"] ."\">";
 echo $riadok["priezisko"]. "\n";
 } //endwhile
} while (false);
?>

 </table>
 <input type="button" value="Znovu" />
 <input type="button" value="Vыйти" />
</body>
</html>
```

```

} // endif;
Mysql_Select_DB("test");
if (!isSet($tryed)) $tryed="ASC";
$query="SELECT nazov,kredity FROM predmet,student,zap_pred WHERE priezvisko='".$priezvisko'
 AND student.id_st=zap_pred.id_st AND zap_pred.cp=predmet.cp ";
// echo $query; //!-- ak testujes, vyremuj komentar
$vyssledok = @mysql_query($query);
if (!$vyssledok) {
 echo "Chybny dopyt";
 break;
} //endif;
while($riadok = mysql_fetch_array($vyssledok)) {
 echo "<tr>\n";
 echo "<td>".$riadok["nazov"]."</td>";
 echo "<td>".$riadok["kredity"]."</td>";
 echo "</tr>\n";
} //endwhile
} while (false);
echo "</table>";
}
?>
<div align="center">INDEX</div>

<?php
//end function Spracuj
if (!isSet($priezvisko)) showForm();
else spracuj();

?>

```

## 19. Záver a PHP Klub

Jýh midchfYbfbjbZcfa zWw'Y'a cýbf níg\_U 'U^bUXc'Yi j YXYb W'cX\_úncW.

...[kkk "d\d"g](#)  
[kkk "nYbX"Wa](#)  
[kkk "a nge "Wa](#)  
[kkk "UdUWY"cf](#)  
[kkk "d\dVi \]XYf"XY](#)

J ýh Xj i DxDJza dca 'jY'a Ubi z^Uf nbYjbZcfa Uhj bY'a UhYfz ní\_hcff'Y'a cýbf níg\_U 'bUjbhYfbYhY'5\_ 'a zhYnzi 'Ya 'c JW'nUgUb]Yz'Y'a cýbf gl]W'cV'YXbU 'bU'bUjY^gfzb\_Ygdc i 'g' 'Ybgj ca j 'bUýca 'DxD'\_i VY'bUgfzb\_Y

[Hd. #kkk "d\d"g #YI lghfUfU'd\](#)

: jbUb b a 'df|gdYj \_ca 'nU 'Ybgj c '#YXbcfzncj f#df|gdY'YhY'bU'dfYj zXn\_i 'g'cj Ybg\_f^c 'gYfj YfU[kkk "d\d"g](#) j Ybcj Ubf\c 'dfcVYya UhY  
'Um'UDxDUj j c 'Uk Yvcj W'Ud'LzWf'Níg\_UhY'Xj Y'78 d'b'f'gcZk UfY'dfYj j c'^DxD'UL@Ud'LzWf'Udfighi d'\_hi hcf]Uca 'dfY' 'Ybcj 'DxD'\_i Vi "

